SAFEQUIP®

Specialist Rescue Equipment
by Professionals for Professionals

RESCUE
FIRE
WATER
999
EMERGENCY

Index	2	3	Company Profile
Sizing Charts	4	5	Fabric Specifications
Cyclone Pro Drysuits	6	13	Cyclone Pro Drysuits
Responder Drysuit	14	15	Flood Suit
Specialised Drysuits	16	17	Diving Accessories
Base Layers & Thermal Garments	18	21	Base Layers & Thermal Garments
Neoprene Gloves & Caps	22	23	Water Rescue Footwear
Buoyancy Aids	24	25	Buoyancy Aids
Lifejackets	26	27	Lifejackets
Solas & Foam Lifejackets	28	29	Radios & Location Beacons
Water Helmets	30	31	Water Helmets
Wading & Reach Poles	32	33	Water Rescue Aids
Water Rescue Aids	34	35	Drybags & Aquapac's
Hose Inflation & Mud Lance	36	37	Aquasac
Kit Bags	38	39	Kit bags
Inflatable Rescue Products	40	47	Inflatable Rescue Products
Boat Accessories	48	49	Boat Accessories
Knives	50	51	Drysuit & Lifejacket Spares
Structural Fire Kit	52	53	Structural Fire Kit
FR Coveralls	54	55	Wicking Garments & Socks
Fire Fighting Footwear	56	57	Fire Fighting Gloves
Safequip X-Tract Glove	58	59	Rescue Gloves & Knee Pads
Rescue Helmets	60	63	Rescue Helmets
Lighting	64	79	Lighting
Harnesses	80	81	Lanyards & Blocks
Ropes & Karabiners	82	83	Rope Accessories
Tripod & Stretchers	84	85	Petrogen
Casualty Blankets	86	87	Terms & Conditions

Company Profile

“Saving lives for a living”

Established in 2000, Safequip have designed and manufactured a comprehensive range of water rescue PPE and equipment. Through constant innovation and application of new technologies, Safequip are now the leading supplier of water rescue equipment to the most demanding customers including - Maritime Coast Guard, Fire & Rescue, Law Enforcement, Water Rescue Teams, and Paramedics around the world.

Our professional users work in environments where the reliability and durability of their equipment is crucial to their safety and the safety of others. From industrial marine workers, to the Coast Guard, to Public Safety Professionals like Police Officers, Firefighters, and Water Rescue Teams, we create solutions catered to their specific requirements. These users deserve only the best while they are out there making a difference and saving lives.

Safequip are not limited to their own branded water rescue products, but also represent a number of complementary brands which include: Streamlight Lighting Products, Specialised Inflatable Technology, Kask Helmets, Petrogen Hot Cutting Systems, and Deva Fire Retardant clothing. We also have a wide network of additional suppliers which gives us the ability to source a vast range of products, including electronic devices, specialist PPE, boat accessories and outboard engines. This gives us the unique ability to provide a “One Stop Shop” solution.

What we offer is beyond just simple products - we provide trusted and reliable complete solutions that are among the most innovative in the industry.

The concepts for many of our products come from the real life needs of our users. From protecting the rescue technician to offering products that provide protection to casualties and those who are in potential danger. The fact is that although our products have been developed for the professional rescue market, our product solutions often spill over into different markets, looking for the best performing products available.

Many of our products are researched, designed, tested and manufactured right where they are conceived. We are proud to be one of the unique companies in the industry where we control the entire product cycle, from initial research and product prototype design, to product testing and final production and quality assurance. Even after our products leave the manufacturing floor, we have our own certified service facility where products can be inspected, maintained and repaired.

Safequip Designed Drysuits

Once you have decided on your specification, Safequip's design team can produce illustrated drawings of your design while offering advice on the type of fabric seals and entry system. The completed illustration gives you the opportunity to approve the final specification prior to the drysuits being manufactured.

Our drysuits can be manufactured with a combination of fabrics like with our Cyclone Pro R3. A popular option is the Cordura® trouser which provides maximum protection where it is needed most, along with the Hydratec 200 breathable fabric top for comfort and flexibility.

We also offer a full printing service which allows us to print your logo, badges or add additional reflective strips if required.

For further information contact a member of our sales team.

Drysuit Sizing Chart

SIZES	UOM	SMALL	MEDIUM	MEDIUM LARGE	LARGE SHORT	LARGE	XL SHORT	X L	XXL SHORT	XXL	XXXL	4XL	KING 1	KING 2
Height	ft./in.	5'5"- 5'8"	5'7"- 5'10"	5'10"- 6'1"	5'8"- 5'11"	5'11"- 6'2"	5'9"- 6'	6'- 6'3"	5'10"- 6'1"	6'1" - 6'4"	6'3" - 6'6"	6'5" - 6'8"	5'9"- 6'	5'10"- 6'2"
	cm.	162 - 170	168 - 175	175 - 182	170 - 178	178 - 185	172 - 180	180 - 187	175 - 182	182 - 190	188 - 195	192 - 200	172 - 180	175 - 185
Weight	lbs.	135 - 155	150 - 175	170 - 195	180 - 205	180 - 205	200 - 230	200 - 230	220 - 250	220 - 250	245 - 275	260 - 290	270 - 300	235 - 265
	kg.	61 - 70	68 - 80	77 - 89	82 - 93	82 - 93	91 - 105	91 - 105	100 - 114	100 - 114	111 - 126	118 - 132	122 - 137	107 - 121
Chest	in.	34 - 37	36 - 39	38 - 42	40 - 44	40 - 44	42 - 46	42 - 46	44 - 48	44 - 48	46 - 50	48 - 52	50 - 54	46 - 50
	cm.	85 - 93	91 - 98	95 - 105	100 - 110	100 - 110	105 - 115	105 - 115	110 - 120	110 - 120	115 - 125	120 - 130	125 - 135	115 - 125
Waist	in.	28 - 31	30 - 33	32 - 36	34 - 37	34 - 37	37 - 40	37 - 40	39 - 43	39 - 43	42 - 45	45 - 48	45 - 48	39 - 43
	cm.	70 - 78	75 - 83	80 - 90	85 - 93	85 - 93	93 - 100	93 - 100	98 - 108	98 - 108	105 - 113	113 - 120	113 - 120	98 - 108
Hips	in.	34 - 37	36 - 39	38 - 42	40 - 44	40 - 44	43 - 47	43 - 47	45 - 49	45 - 49	47 - 51	49 - 53	48 - 52	43 - 47
	cm.	85 - 93	91 - 98	95 - 105	100 - 110	100 - 110	108 - 118	108 - 118	113 - 123	113 - 123	118 - 128	123 - 133	120 - 130	108 - 118
Inseam	in.	26 - 28	28 - 30	29 - 31	27 - 29	30 - 32	28 - 30	31 - 33	29 - 31	32 - 34	33 - 36	34 - 37	28 - 30	29 - 31
	cm.	65 - 70	70 - 75	73 - 78	68 - 73	75 - 80	70 - 75	78 - 83	73 - 78	80 - 85	83 - 90	85 - 92	70 - 75	73 - 78

Thermals Sizing Chart

SIZES	UOM	SMALL	MEDIUM	MEDIUM LARGE	MEDIUM BROAD	LARGE	XL	XXL	XXXL	SIZING INFORMATION
Height	ft./in.	5'5"- 5'8"	5'7"- 5'10"	5'10"- 6'1"	5'7"- 5'10"	5'11"- 6'2"	6'- 6'3"	6'1"- 6'4"	6'3"- 6'6"	Please use the following size charts to establish the size you require. Please note that there is no substitute for actually trying on a garment to determine the best size for fit and comfort.
	cm.	162 - 170	168 - 175	175 -182	168 - 175	178 - 185	180 - 187	182 - 190	188 - 195	
Weight	lbs.	135 - 155	150 - 175	170 - 195	200 - 230	180 - 205	200 - 230	220 - 250	245 - 275	
	kg.	61 - 70	68 - 80	77 - 89	91 - 105	82 - 93	91 - 105	100 - 114	111 - 126	
Chest	in.	34 - 37	37 - 39	38 - 42	42 - 46	40 - 44	42 - 46	44 - 48	46 - 50	
	cm.	85 - 93	93 - 98	95 - 105	105 - 115	100 - 110	105 - 115	110 - 120	115 - 125	
Waist	in.	28 - 31	29 - 33	32 - 36	37 - 40	34 - 37	37 - 40	39 - 43	42 - 45	If there isn't a size that is suitable, we do offer a made to measure service on both drysuits and thermal garments. A special measure form is available for download from our website: www.safequip.co.uk The completed form should be either faxed to +44 (0) 1259 727825 or emailed to sales@safequip.co.uk
	cm.	70 - 78	73 - 83	80 - 90	93 - 100	85 - 93	93 - 100	98 - 108	105 - 113	
Hips	in.	34 - 37	37 - 39	38 - 42	43 - 47	40 - 44	43 - 47	45 - 49	47 - 51	
	cm.	85 - 93	93 - 98	95 - 105	108 - 118	100 - 110	108 - 118	113 - 123	118 - 128	
Inseam	in.	26 - 28	28 - 30	29 - 31	28 - 30	30 - 32	31 - 33	32 - 34	33 - 36	
	cm.	65 - 70	70 - 75	73 - 78	70 - 75	75 - 80	78 - 83	80 - 85	83 - 90	

Footwear Sizing Chart

UK	5	6	6.5	7	8	9	10	10.5	11	12	13
EURO	38	39	40	41	42	43	44	45	46	47	48

Thermacore Quad Garment Sizing Chart

SIZES	UOM	XS/S	M/ML	L/XL	XXL/XXXL
Height	ft./in.	5'2"- 5'7"	5'6"- 5'11"	5'10"- 6'3"	6'2" - 6'7"
	cm.	155 - 167	165 - 177	175 -187	185 - 197
Chest	in.	32 - 38	36 - 42	40 - 46	44 - 50
	cm.	80 - 95	85 - 105	100 - 115	110 - 125
Waist	in.	24 - 32	30 - 36	34 - 42	40 - 48
	cm.	60 - 80	75 - 90	85 - 105	100 - 120

Safequip now offer a free 2 year warranty on our drysuit range with the exception of the Responder which comes with a standard 12 month warranty. All manufacturing and material defects are covered, excluding seals. This information is included in our drysuit user manual or alternatively visit www.safequip.co.uk and click on the learning zone to view or download a copy of our drysuit warranty document.

Hydratec 200 is a high performance breathable trilaminate fabric which is both lightweight and flexible. It is designed for those wanting high levels of comfort whilst being worn for long periods. Reinforcement panels can be added to the knee, seat and elbow areas to add extra durability.

Available Colours



Cordura® trilaminate fabric is a hard wearing fabric which provides unparalleled protection against abrasion, puncture and tear. This newly developed Cordura® fabric comes in a plain outer finish making it easier to clean or decontaminate after use. This fabric is used mainly in the trousers of our drysuits for added durability.

Pegasus fabric has been successfully used for a number of years in the manufacture of our drysuits for the Emergency Services. This trilaminate fabric has a tough Nylon outer which is renowned for its hard wearing character but still feels soft and flexible to allow a high degree of comfort in challenging environments.



Safequip only use heavy duty UV protected Latex seals in the construction of their drysuits. These seals provide the best seal against the elements. A 3 dimensional latex sock is also used which increases the comfort and added strength where you need it the most.

Our new 2.5mm LUS Neoprene cuff and neck seals are fitted as standard on Neoprene drysuits. Our design team have recently evaluated the construction of Neoprene seals and as a result we have designed our new seals using top quality LUS Neoprene. The 2.5mm thickness provides maximum elasticity to ensure the best seal possible.



Safequip manufacture drysuits using two type of dryzips:-

The traditional YKK dryzips that are used in diving drysuits, are also used in our Cyclone Pro R1. This style of zip requires regular cleaning and maintenance.

The YKK Aquaseal zip is a newly developed zip which is used in the manufacture of our Pro R3 and Pro R5 drysuits. This looks like a normal zip and requires less maintenance than its YKK metal version. It also increases the flexibility and comfort of the suit especially when swimming.

The Cyclone Pro R1 drysuit has been constructed where durability and performance is required. This model of drysuit has been chosen by many Emergency Services for its comfort, fit and extreme durability. The choice of professionals!

SAF10025 - Cyclone Pro R1 Drysuit with Neoprene Seals
SAF10026 - Cyclone Pro R1 Drysuit with Latex Seals

Available in Front or Back Entry options

- Manufactured from Pegasus and Cordura® trilaminate material
- Latex or Neoprene seal option
- Diagonal front entry design
- Heavy duty Latex Socks
- Reflective markings on sleeves and ankles
- Cordura® reinforcement panels on seat and knee
- Heavy duty dryzip with zip cover
- Adjustable internal braces
- Protective ankle gaiter
- Elasticated waist to ensure comfortable fit
- Bellows pocket on leg with Velcro® closure and gear loop
- Customer logo option available

Sizes: S, M, ML, L, LS, XL, XLS, XXL, XXLS, XXXL, XXXXL, K1, K2
Made to measure service available

The Cyclone Pro R1 drysuits can be manufactured in different colour combinations but minimum order quantities may be required depending on fabric availability.

Standard colours are: Black, Red, Yellow, Orange

LOGO

SAF10024 - Cyclone Pro R1 Drysuit with Safety Boots

Available in Front or Back Entry options

- Manufactured from Pegasus and Cordura® trilaminate material
- Latex or Neoprene seal option
- Diagonal front entry design
- Safety / non safety or chainsaw boots
- Reflective markings on sleeves and ankles
- Cordura® reinforcement panels on seat and knee
- Heavy duty dryzip with zip cover
- Adjustable internal braces
- Elasticated waist to ensure comfortable fit
- Bellows pocket on leg with Velcro® closure and gear loop
- Customer logo option available

Sizes: S,M,ML,L,LS,XL,XLS,XXL,XXLS,XXXL,XXXXL,K1,K2
Made to measure service available

Chainsaw boots can be fitted to all Cyclone Pro R1 Drysuits

Maersk Training required a drysuit which would be durable enough for a training environment. The solution was the Cyclone Pro R1 with the full Cordura® trouser, knee and seat reinforcement along with the gaiter to provide added protection.


Heavy duty Latex neck seal
Front entry style with protective zip cover
Maersk logo on both sleeves
Drysuit top manufactured using Pegasus trilaminate fabric
Reflective strips on forearms 30mm wide
2.5mm LUS Neoprene super stretch cuff seals
Bellows pocket
Drysuit trouser manufactured using Cordura® trilaminate fabric
Cordura® 1000D knee reinforcement
Reflective print strips below the knee reinforcement 30mm wide
Protective ankle gaiters
Heavy duty 3D Latex Socks
Elasticated back panel
Cordura® 1000D seat reinforcement panel
Reflective print strips below the knee reinforcement 30mm wide

Cyclone Pro R1 - Loch Lomond National Park Specification

Latex neck seal
Front entry style with BDM dry zip and protective cover
Drysuit top manufactured using Pegasus trilaminate fabric
Reflective strips on forearms 30mm wide
2.5mm LUS Neoprene super stretch cuff seals
Bellows pocket with internal gear loop
Drysuit trouser manufactured using Pegasus trilaminate fabric
Cordura® 1000D knee reinforcement
Reflective print strips below the knee reinforcement 30mm wide
Protective ankle gaiters
Heavy duty 3D Latex socks


LOCH LOMOND & THE TROSSACHS NATIONAL PARK RANGER
Elasticated back panel
Cordura® 1000D reinforcement Panel
Reflective print strips below the knee reinforcement 30mm wide

Back Entry Cyclone Pro R1 designed for South Tipperary Fire Service

Latex neck seal
Drysuit top manufactured using Pegasus trilaminate fabric
Reflective strips on forearms 30mm wide
Latex cuff seals
Drysuit trouser manufactured using Pegasus trilaminate fabric
Bellows pocket
Reflective print strips above the knee reinforcement 30mm wide
Cordura® 1000D Knee Reinforcement
Reflective print strips below the knee reinforcement 30mm wide
Protective ankle gaiters
Heavy duty 3D Latex socks


Back entry design with protective zip cover
Elasticated back panel
Cordura® 1000D seat reinforcement panel
Reflective print strips above and below the knee reinforcement 30mm wide

The Cyclone Pro R3 Hybrid Drysuit comes with Hydratec 200 trilaminate breathable fabric top and Cordura® trilaminate trouser. For added durability it also comes supplied with Cordura® protective overlays on the knee, seat and elbows. This drysuit provides excellent protection and is extremely comfortable to wear over long periods.

SAF10032 - Cyclone Pro R3 Drysuit with Latex Seals
SAF10033 - Cyclone Pro R3 Drysuit with Neoprene Seals

- Trouser manufactured in Cordura® trilaminate material
- Upper body manufactured in Hydratec 200 breathable trilaminate fabric
- Latex or neoprene seal option
- Diagonal front entry design
- Heavy duty Latex socks
- Reflective markings on sleeves and ankles
- Cordura® reinforcement panels on seat and knee
- New Aquaseal® dryzip with zip cover
- Adjustable internal braces
- Protective ankle gaiter
- Elasticated waist to ensure comfortable fit
- Bellows pocket on leg with Velcro® closure and gear loop
- Customer logo option available

Sizes: S,M,ML,L,LS,XL,XLS,XXL,XXLS,XXXL,XXXXL,K1,K2
Made to measure service available

Cyclone Pro R3 -Scottish Marine Police Specification


2.5mm LUS Neoprene super stretch neck seal
Front entry style with Aquaseal® dry zip and protective cover
Hydratec 200 trilaminate breathable fabric
Reflective strips on cuff covers 30mm wide 15mm below the top seam
2.5mm LUS neoprene super stretch cuff seals with cuff cover
Slate / Booklet pocket designed in black breathable fabric
Drysuit touser manufactured using Cordura® trilaminate fabric
Cordura® 1000D knee reinforcement
Reflective print strips below the knee reinforcement 30mm wide
Protective ankle gaiters
Heavy duty 3D Latex socks
Police
Police


Elasticated back panel
Cordura® 1000D seat reinforcement panel
Reflective print below the knee reinforcement strips 30mm wide

The Cyclone Pro R3 Drysuit is available also in Bib Entry and Back Entry designs

SAF10034 -
Bib Entry Design

SAF10048 - Back Entry Design with Neoprene Seals

SAF10047 - Back Entry Design with Latex Seals

Police Service Northern Ireland approached Safequip to design and supply the drysuits for the Special Operations Team for use during the G8 summit in Northern Ireland. The finished specification of the drysuit was a Cordura® trilaminate trouser and Hydratec 200 breathable top combination. The suit also consisted of Velcro® panels so tactical Police badges could be added or removed.


Police badge on velcro panel
2.5mm LUS Neoprene super stretch neck seal
Front entry style with BDM dry zip and protective cover
Hydratec 200 trilaminate breathable fabric
2.5mm LUS Neoprene super stretch cuff seals
Drysuit trouser manufactured using Cordura® trilaminate fabric
Slate / Booklet and bellows pocket
Cordura® 1000D knee reinforcement
Protective ankle gaiters
Heavy duty 3D Latex socks
POLICE
Police badge on Velcro® panel
Elasticated back panel
Cordura® 1000D seat reinforcement panel

The Cyclone Pro R5 Breathable Drysuit is manufactured from Hydratec 200 trilaminate breathable fabric throughout. For added durability it also comes supplied with Cordura® protective overlays on the knee and seat. This drysuit is both lightweight and extremely comfortable to wear over long periods.

SAF10035 - Cyclone Pro R5 Drysuit with Neoprene Seals
SAF10036 - Cyclone Pro R5 Drysuit with Latex Seals

- Manufactured from Hydratec 200 trilaminate breathable fabric
- Latex or Neoprene seal option
- Diagonal front entry design
- New Aquaseal® dryzip with zip cover
- Heavy duty Latex socks
- Reflective markings on sleeves and ankles
- Cordura® reinforcement panels on seat and knee
- Adjustable internal braces
- Protective ankle gaiter
- Elasticated waist to ensure comfortable fit
- Slate / Window and bellows pocket
- Customer logo option available

Sizes: S,M,ML,L,LS,XL,XLS,XXL,XXLS,XXXL,XXXXL,K1,K2
Made to measure service available





Cyclone Pro R5 - Ambulance HART Specification

2.5mm LUS Neoprene super stretch neck seal
Front entry style with BDM dry zip and protective cover
Hydratec 200 trilaminate breathable fabric top & trouser
2.5mm LUS Neoprene super stretch cuff seals with protective cuff covers
Slate / Booklet and bellows pocket
Cordura® 500D knee reinforcement
Reflective print strips above and below the knee reinforcement 30mm wide
Protective ankle gaiters
Heavy duty 3D Latex socks


Elasticated back panel
XXXXX
Cordura® 500D reinforcement panel
Reflective print strips above and below the knee reinforcement 30mm wide

The Responder Drysuit was designed, as its name suggests, as a first responder suit. Following the success of the Flood Suit our customers approached us to develop and produce an entry level drysuit. Although developed as an entry level drysuit it comes fitted with heavy duty Latex seals and 3D Latex socks and comes supplied in a compact stowage bag.

LATEX HD

SAF10029 - Safequip Responder Drysuit

- 420D PVC laminated nylon fabric
- Colour - Red with Black overlays
- Construction - Taped seams throughout
- Seat and knee reinforcement
- Back entry design with heavy duty zipper
- Reflective tape on cuffs
- Protective ankle gaiter
- Zip cover for added protection to zip
- Latex neck seal
- Latex cuff seals
- Latex socks
- Elasticated waist to ensure comfortable fit
- Adjustable internal braces
- Supplied with stowage bag

Sizes: S,M,ML,L,LS,XL,XLS,XXL,XXLS,XXXL
Made to measure service available

Responder Drysuit Specification

Latex neck seal
Hi-vis panel with "coastguard" text
Reflective strips on forearms
Latex cuff seals
420D Red PVC laminated nylon fabric
Knee reinforcement panels
Protective ankle gaiters
Heavy duty 3D Latex socks



The Safequip Flood Suit was designed and developed in conjunction with UK Fire & Rescue Services to offer an economical solution for use in low level flooding, mud rescue and high volume pump operations. The Flood Suit is operational with many Emergency Services around the UK proving to be extremely popular due to its versatility and suitability for a wide range of applications.

SAF10016 - Safequip Flood Suit (Patent Pending)

- 420D PVC laminated nylon fabric
- Waterproof construction with taped seams
- Adjustable waist belt and shoulder straps
- Two front chest pockets with reflective panels
- Adjustable top with Velcro® strap
- Knee length gaiter
- Neoprene cuffs and collar
- 3D Latex socks
- Neoprene adjustable waistband on jacket
- Reflective panels on arm
- Bellows pocket on right leg
- Supplied with stowage bag
- Colour: Red / Black

SAF10023 - Twin Compartment Bag

For storage of the flood suit and rubber boots in separate compartments

SAF10050 - Typhoon Solas Woss Drysuit

- SOLAS APPROVED WOSS (integrated mitts, hood and fabric socks)
- Hardwearing & breathable
- Diagonal self-don zip
- PU reinforced knees and seat
- Double taped crotch
- Latex neck and cuff seals
- Removable internal braces
- Elasticated waist
- Flat pocket
- Fabric socks
- Reflective cuff tape
- Glide skin (Neoprene) neck and cuff seals available on request at an additional charge

Sizes: XS, S, SM, MB, ML, L, LB, XL, XXL, XXXL

SAF10043 - EVO 2 Diving Drysuit

- Manufactured using 220 gram Cordura which offers high strength and excellent protection against cuts and abrasions
- Self donning front entry drysuit
- Diagonal front mounted zipper with protective zipper flap
- Reinforced seat and knees stand up to the rigors of wreck and technical diving
- Telescopic torso with elasticated crotch strap, that aids donning and allows for greater range of flexibility
- Bellows pocket on each leg
- Available with rubber boots or neoprene socks

Sizes: S, M, ML, LS, L, XLS, XL, XXL, XXLS, XXXL, LS, XLS, K1, K2

SAF31000 - SAR Shredder Fins

The shredder fins have been developed for water Rescue, SAR Swimming and and helicopter operations.

- Ultralight techno-polymer blade provides optimised power
- Split blade design reduces drag and increases lift
- Padded quick release leash system
- Large foot pocket designed to fit over boots
- Overall length - 43cm, Blade width - 25cm, Weight 1.3kg

SAF31004 - Utility Fin Belt

- 50mm webbing adjustable belt
- Gear loops for attaching hardware
- Two quick release webbing loops for attaching fins
- Universal Size

SAF46028 - 3mm Dive Hood

- 5mm stretch neoprene
- Colour - 2 tone Black and Red
- Minimises water penetration
- Easy to don on and off

SAF31015 - Typhoon TM1 Mask

- High quality Silicone skirt and straps
- High quality tempered safety glass
- Replaceable strap buckles available
- Colours: Blue, Silver, Yellow, Clear, Pink & Black

SAF31016 - Typhoon TS1 Snorkel

- Semi-dry top snorkel
- Ovalised tube
- Silicone pipe, and mouthpiece
- 'Dolphin' housing which features a built in whistle and purge valve
- Colours: Blue, Silver, Yellow, Clear, Pink

SAF31019 - Drysuit Hanger

- Strong Plastic Design
- Colours: Yellow, Blue, Black

SAF31007 - Smiley Nose Clip

- Industry standard nasal configuration device

SAF45006 - Seal Goggle

- Lens material: Plexisol®
- Anti Scratch and Anti Fog
- 100% UV protection
- 180 degree field of vision

When you wear the Thermaskin™ range you know that it will keep you warm and dry in a variety of conditions. The garment with its antimicrobial treated fabric looks and feels like a cotton polo shirt, with a soft, silky feel and plush texture, however, it performs differently.

The fabric used in Thermaskin™ draws sweat away from the body and increases micro-ventilation. No more sticky back when your garment sticks to your body or coldness caused by wet clothing. The fabric is one of the quickest drying on the market which also means short drying times after washing.

In extreme cold the Thermaskin™ also works as a base-layer when used as a layering system in conjunction with the Thermafleece™, Thermcore™ and Thermacore Quad™.

SAF20016 - Thermaskin™ Base Layer Suit

Thermaskin™ base layer suit with four way super stretch fabric, produces an extremely comfortable performance garment.

- 4 way Super stretch polyester brushed Lycra fabric
- Fabric weight: 240gsm
- Water repellent outer layer
- Wicking inner layer
- Windproof & breathable
- Antimicrobial treated fabric
- Outer layer UPF 50+
- Thumb loops
- Colour: Black with Red contrast stitching

Sizes: S, M, ML, L, XL, XXL, XXXL

SAF20025 - Thermaskin™ Base Layer Top

New Thermaskin™ base layer top with four way super stretch fabric, producing a super comfortable performance long sleeved top.

- 4 way super stretch polyester brushed Lycra fabric
- Fabric weight: 240gsm
- Water repellent outer layer
- Wicking inner layer
- Windproof & breathable
- Antimicrobial treated fabric
- Outer layer UPF 50+
- Thumb loops
- Colour: Black / Blue

Sizes: S, M, L, XL, XXL

The Safequip Thermacore™ and Thermacore™ II undersuits are both breathable and windproof. The outer shell is manufactured using ripstop nylon while the quilted polyester fleece thermal lining ensures that the thermal protection stays consistent through the suit. Ideal for use under a drysuit or as part of a layering system for other types of outdoor garments.

SAF20014 - Thermacore™ Thermal Undersuit

- One piece design with front zip
- Outer shell 3 layer Ree-Tech breathable/windproof Ripstop Nylon
- 3.5 - 4.0 tog rating
- Quilted polyester fleece thermal lining
- Soft polyester collar
- Breathable vents on both cuffs & upper left arm
- Neoprene cuffs
- Elasticated back panel for improved fit
- 2 way front zipper
- 1 x zip chest pocket
- 2 x thigh pockets with fleece trim
- Neoprene ankle seals
- 40° wash cycle
- Internal braces
- Pre bent knees
- Colour: Charcoal Grey

Sizes available: S, M, MB, ML, L, XL, XXL, XXXL

Merino wool is known for its hygroscopic properties - its ability to absorb and release water vapour quickly and yet retain its thermal insulation properties.

Moisture Management Merino builds on these properties and ensures the finished garment remains soft and comfortable to wear. The Merino fibre easily deals with moisture vapour by absorbing it into the internal fibre structure. Liquid moisture is easy for the Merino fibre to manage. Moisture Management Merino technology is employed to enhance total water management by absorbing liquid sweat and moving it away from the body by evaporation, making the wearer feel more comfortable.

Merino stays fresher for longer. Merino wool's structure and moisture absorption and anti-bacterial properties reduce the tendency for build-up of body odours. Its complex chemical structure locks the odour molecules within the fibre and only releases them on washing.

The Merino Sock & Glove Liner is manufactured using Merino wool and Sorona® natural fibres, which delivers superior levels of thermal insulation.

Retains its thermal properties even when wet.

SAF40037 - Merino Gloves

Sizes - S, M, L, XL

SAF20027 - Merino Socks

Sizes - S, M, L, XL

Presenting the ALL new Thermacore Quad™ thermal 2 piece combination suit. Manufactured using dual layer super stretch Polytherm™ fleece that provides superior thermal protection with the added comfort of a "skin hugging" fit. The garment can be worn directly onto the skin or with a suitable base layer. The Polytherm fleece is designed to remove moisture from the skin, and its four way stretch ensures optimum comfort.

SAF20017 - Thermacore Quad™

- Twin layer construction has excellent heat retention properties
- Antimicrobial
- Two piece construction is designed to be practical and versatile
- Long John is fitted with 2 way zipper
- Top has scalloped shaped back for improved fit
- Black with grey contrast flat-lock stitching
- Can be worn in conjunction with SAF20016 or SAF20015 Thermaskin™ base layers

Sizes available: XS/S, M/ML, L/XL, XXL/XXXL

SAF20026 - Thermacore Quad™ Socks

- Twin layer Polytherm™ construction
- Supreme fit for maximum comfort
- Black with grey contrast stitching
- Can be worn in conjunction with merino socks SAF20027

Sizes available: S, M, L, XL

The Thermacore Quad™ Socks can be used in conjunction with merino sock liner for extra warmth.

SAF20021 - Thermafleece™

- Colour: Black
- 250G Polyester thermal fleece fabric
- Elasticated thumb loops
- 2 x Foot stirrups
- 2 x Way zipper
- 2 x Hip pockets

Sizes: S, M, MB, ML, L, XL, XXL, XXXL

A NEW style two piece thermal garment with sallopette style trouser and smock style top. The Thermacore Dual™ is manufactured from soft Ripstop nylon, with a super soft DuPont™ Sorona® 150g Eco Warm Wadding, 150g thermal windproof layer and brushed polyester wicking lining.

SAF20028 - Thermacore Dual™

Sallopette

- Tough outer nylon shell
- Sorona® Eco warm wadding thermal layer
- Brushed polyester wicking lining
- Elasticated adjustable shoulder straps
- Front chest pocket with zip closure
- Side zips for easy donning and removal
- Extra-long convenience zip, suitable for both men & ladies
- 2 x Side leg zips, allowing the sallopette to be donned over footwear
- 2 x Side waist zips for easy donning and removal
- Elasticated waist
- 2 x Foot stirrups

Jacket

- Tough outer Ripstop nylon shell.
- Sorona® Eco warm wadding thermal layer
- Brushed polyester wicking lining
- Soft neck collar with zip
- Front chest pocket with zip closure
- Kangaroo pouch pocket
- Scalloped shaped back
- 2 x Side zips for easy donning and removal
- Adjustable cuffs closure

Available from January 2015

SAF46026 - Nitrotherm Skull Cap

- Super stretch polyester outer fabric
- Water repellent outer shell
- Polytherm fleece lining
- Antimicrobial treated
- Ear vents

Sizes: S/M, L/XL

SAF46001 - Neo Skull Cap

- 1.5mm neoprene
- One piece design
- Vented earpieces
- Velcro® fastening chinstrap

Sizes: S, M, L ,XL, XXL

All neoprene gloves can be used in conjunction with merino glove liners for extra warmth.

SAF40016 - Neo Ink Palm Yellow
SAF40024 - Neo Ink Palm Black

- 3mm titanium lined neoprene
- Printed ink grip palm
- Velcro® wrist strap
- Pre curved fingers
- Mesh stowage bag

Sizes: S, M, L, XL, XXL

SAF40020 - Neo Karbonflex

- 4mm titanium lined neoprene
- Kevlar reinforced palm and fingers
- Velcro® wrist strap
- Pre curved fingers
- Mesh stowage bag

Sizes: S, M, L, XL, XXL

SAF40017 - Neo Amara

- 2mm titanium lined neoprene
- Amara leather palms & fingers
- Velcro® wrist strap
- Mesh stowage bag

Sizes: S, M, L, XL, XXL

SAF40012 - Neo Stretch

- 2mm super stretch neoprene
- Printed Ink grip palm
- Pre curved fingers
- Mesh stowage bag

Sizes: S, M, L, XL, XXL

SAF42035 - Torrent Boot

- Durable synthetic leather upper
- Kevlar stitching for added strength and abrasion
- PU Bump cap, heel guard and wrap round protection
- Removable moulded foot bed
- Kevlar® woven fibre protective midsole
- Lightweight protective toe cap
- Padded ankle and bellows tongue
- Instep drainage vent
- Certified: EN ISO 20345 2004

Sizes: 5 - 12 full sizes only
Larger sizes available, but with a different sole mould

GPST1060 - Goliath Dry Suit Boot

- Black suede and Orange textile uppers
- Quick release bungee laces with toggle
- Moisture wicking textile lining
- Lightweight dual density PU sole
- Steel toe cap resistant to 200 joules and steel midsole
- Certification: EN ISO 20345:2011 S1 P SRA

Sizes: 6 - 13 full sizes only

PWFC60 - Operis Safety Boot

- Stylish design safety boot which is metal free.
- Lightweight construction
- PU / Rubber outsole for superior grip, shock absorbtion and durability.
- Composite protective toe cap and midsole to provide total protection
- Protective scuff cap and padded ankle
- Pull on tab at the rear for easy donning
- Outsole is both chemical & oil resistant
- Heat resistant up to 300 degrees
- Certification EN ISO 20345:2011

Sizes: 4 - 12 full sizes only

The Safequip Rescue Pro was launched in 2007 and is established as the PFD of choice for many rescue services worldwide. It comes in three different sizes to ensure the perfect fit and with up to 140N of buoyancy you can be sure that it will perform when you need it most.

Size	Chest	KG	Buoyancy
S/M	80 - 100cm	50+	90N
L/XL	100 - 110cm	70+	120N
2XL/3XL	110 - 130 cm	70+	140N

SAF30012 - Rescue Pro PFD Red
SAF30012 - Rescue Pro PFD Black
SAF61011 - Elasticated Webbing Cowtail



- Up to 140N of inherent buoyancy
- Heavy duty 600D Ripstop fabric outer shell
- Padded shoulder straps
- Adjustable waist belt
- Removable crotch strap system
- Padded side panels for added protection
- Built in quick release harness
- Side adjustment compression straps
- 2 x pockets with equipment loops
- Karabiner quick release loop
- Lash tabs - 3 x front , 1 x rear
- SOLAS reflective panels
- Large “D” rings inside both pockets
- Velcro Panel for ID Badge

ISO EN:12402-5 ISO EN: 12402-6

SAF51026 - Guardian PFD Light

- Visible for over 1 mile
- Ultrabright LED
- Impact resistant
- Waterproof to 100m
- Functions in extreme hot or cold
- Uses Lithium coin cell batteries

SAF30023 - Safequip Response PFD

Safequip Response PFD is an entry level buoyancy aid

- 400D Ripstop outer shell
- Colour: Yellow / Red
- Reflective piping on side panels
- 3 x adjustable fastening straps with SR buckles
- Lash Tabs: 1 x front and 1 x rear
- 2 x webbing gear loops
- Detachable twin crotch straps - for use in boat or flood operations
- SOLAS reflective panels on front and rear
- Velcro

ISO EN:12405-5

SAF33052 PFD Reflective Badges

Our PFD's have a velcro panel on the rear which has been designed to encorporate encapsulated reflective badges. A minium order of 15 allows you a bespoke design to your specification.

The Safequip 275N Seafit lifejackets incorporate a special darted 3D neck design which makes wearing a 275 Newton lifejacket remarkably comfortable. The retro-reflective tape fitted on the outer cover as standard mean wearers can be easily seen. The lifejacket has been specially developed to improve self righting by producing a kick thrust when activated. The Seafit is the preferred choice of many professionals and Emergency Services.

SAF30019 - Medisafe Automatic
SAF30013 - Firesafe Automatic
SAF30014 - Policesafe Automatic

- Colours: Red, Navy, Yellow
- Durable polyester cover
- Heavy duty bladder
- Latest UML CXi visual inflator
- Reflective markings on cover and bladder
- Inspection window with visual indicators
- Uses 60g cylinder
- Supplied with crotch strap as standard
- Velcro® closure

Certification: ISO EN: 12402-2

SAF30025- Seafit Advantage Automatic

- Colours: Red, Navy, Black, Orange PVC
- Durable nylon / polyester cover
- Kick Buoyancy to enhance the turning motion of the wearer when the jacket is activated
- Heavy duty bladder
- UML CXi inflator with visual inspection window
- Uses 60g cylinder
- Velcro® closure
- Optional crotch strap available

Certification: ISO EN: 12402-2

SAF30000 - Raider 150N Automatic
SAF30001 - Raider 150N Manual

- Colours: Red, Navy, Black
- Durable polyester cover
- Heavy duty bladder
- UML MK5i anti airlock capsule
- Uses 33g cylinder
- Velcro® closure
- Optional crotch strap available

Certification: ISO EN: 12402-3

SAF30002 - 275N Seafit Automatic
SAF30008 - 275N Seafit Manual

- Colours: Red, Navy, Black, Orange PVC
- Durable polyester cover
- Heavy duty bladder
- UML MK5i anti airlock capsule
- Reflective markings on cover and bladder
- Uses 60g cylinder
- Optional crotch strap available
- Velcro® closure

Certification: ISO EN: 12402-2

SAF30039 - 150N Hi-Fit Automatic
SAF30040 - 150N Hi-Fit Manual

- Colours: Hi-Vis Yellow and Orange PVC
- Durable wipe clean cover
- Heavy duty bladder
- UML MK5i anti airlock capsule
- Uses 33g cylinder
- Velcro® closure
- Optional crotch strap available

Certification: ISO EN:12402-3

2 Warranty

UML Pro Sensor Inflation Mechanism:

The new UML Pro sensor is the latest development in inflator mechanisms. The sensor affords the user a “clearly visible” point of status indication that the unit has been automatically or manually activated.

The unit also provides the added benefit of detecting if the CO2 cylinder has been pierced, eradicating the possibility of accidentally fitting a pierced gas cylinder. Along with a simple charge procedure the automatic Pro Sensor is fitted with the latest “all weather” cartridge with the added benefit of inhibiting the accidental ingress of moisture and water spray, during hot humid or heavy stormy weather.

All ‘Advantage’ style lifejackets are fitted with a user badge for added safety.

Lifejacket Servicing

To ensure that you always remain compliant and operate safely, Safequip recommend that all lifejackets used in the commercial sector should be serviced annually.

This servicing consists of checking all the parts of the inflation

system, the CO2 cylinder, the overall state of the lifejacket and the air integrity of the bladder.

Safequip have their own in house service centre which is approved to service all makes of CE certified lifejackets.

For further information email repairs@safequip.co.uk

SAF30016 - Baltic Hybrid Lifejacket

- Colours: Orange/Black
- 75N inherently buoyant foam
- Co2 inflatable lung adding a further 165N of buoyancy
- Integrated sprayhood
- VHF/EPIRB adjustable holder
- Inspection window for easy view of the automatic inflation mechanism
- Lifejacket light attachment point
- Integrated harness to EN1095
- Knife holder
- ID card pocket
- Stainless steel anti magnetic buckles & 'D' ring
- 2 x nappy style thigh straps

Certification: EN1095 ISO EN:12402-3

SAF30038 - Challenger Solas Lifejacket

- Patented interlocking lobe design
- 300 Newtons buoyancy
- Zip closure
- High visibility fabric
- Twin chamber security
- Contoured head and neck support
- Lightweight and comfortable to wear

Fully approved to the latest amendments in SOLAS Chapter III 2010

SAF30015 - Besto 100N Foam Lifejacket

- Colours: Hi-Visibility Orange
- Over the head style lifejacket
- Hard wearing fabric cover
- Reflective SOLAS panels
- Adjustable waist belt
- SOLAS approved whistle
- Foam collar that supports the head in water
- Also available in junior sizes

CE EN:395

SAF30037 - Besto Solas Foam Lifejacket

- Patented adjustable chin strap that can be moved according to neck size
- Chin strap allows head to be kept in optimum position even if unconscious
- Light patch located at front of lifejacket
- Optional crew, Cabin number and Assembly Station markings
- Optional sprayhood
- Optional 'Oversize' print on bag
- 8 pieces of reflective tape
- Easily adjustable waistbelt with strong Nexus buckle
- Security fastened whistle
- Floating buddy line with easy clip in protective pocket
- Large single block front chest construction improving in-water performance
- Single chest block stops waves from being directed towards the face and mouth

Certification: Solas Approved to the latest 2010 requirements

SAF62024 - IC-M33 Icom VHF Marine Transceiver

Introducing the worlds first 5W VHF marine transceiver that floats. If you drop the IC-M33 into water, the radio comes up to the surface so that you can easily retrieve it from the water. As the radio has a rugged waterproof body, it will keep working even after it has been submerged. It is waterproof to 1m depth for 30 minutes.

For more information contact a member of the Safequip team.

SAF62025 - rescueME PLB1

Introducing the worlds smallest PLB. Wherever you are at sea or land, the rescueME PLB1 provides the reassurance that emergency services can be alerted by the press of a button.

- 30% smaller
- Easily fits in a lifejacket
- Retractable Antenna
- 7 Year battery life
- 7 Year warranty
- High brightness strobe light
- 66 channel GPS receiver
- Unique mounting clip and flotation pouch

SAF62021 - AU9-WF Sea Marshall Alerting Unit

- Provides 24/7 monitoring of crew at risk of falling overboard
- Transmits emergency homing signal on 121.5 MHz
- 500 mW power output
- 2 second activation
- 40 second activation override from OFF

SAF62022 - Mobil Arm SAR Finder

- Continuously monitors 121.5 MHz frequency
- Immediately detects emergency signal from activated Sea Marshall alerting unit
- Automatic alarm and in-water tracking
- Compass-style LED display indicates direction and approximate range of man overboard to enable self-managed rescue
- Plots vessel's GPS position at time of incident
- Antenna included
- No limit to the number of alerting units that can be used with one SAR finder
- Portable model also available

SAF46000 - Predator Full Cut

- High impact Ralvek thermoplastic shell for increased protection
- High impact EVA foam liner with custom fit pads
- Adjustable strap to enhance fitting
- Side impact protection with vent to provide good hearing
- Adjustable side release buckle on chin strap
- Sizes: Universal Fit
- Certification: EN1385

Colours: White, Yellow, Red, Matt Black

SAF46004 - Predator Half Cut

Colours: White, Yellow, Red

SAF46007 - Gath Gedi Rescue

- High performance water rescue helmet
- Full face visor protecting against UV sunlight
- Soft foam comfort strip fitting
- Close fit helmet design
- Visor supplied seperately
- Certification: EN1385

Colours: Yellow, Red, Black, White, Orange

Size Chart

Gath Gedi is fitted with comfort strip as follows:

Helmet Size	Comfort Strip Fitted	Additional Strip/s	Fits Head Size
Small	10.5mm	12mm	540mm-555mm
Medium	7.5mm	9mm	560mm-575mm
Large	4.5mm	6mm & 7.5mm	580mm-590mm
X Large	9mm	10.5mm	595mm-610mm
XX Large	4.5mm	6mm & 7.5mm	610mm-620mm

This sizing chart is a guide only, as head shapes vary.
Measurements should be taken around the head - mid forehead, just above the ears

The Nitro XT water helmet is produced with a high performance ABS outer shell and fitted with a soft EVA lining which delivers excellent comfort and thermal insulation. The full cut design also offers side impact protection around the ear and side of the head. It is available in a range of sizes to ensure superior fit. The helmet provides excellent protection to the user and is certified to the latest EN standard EN:1385 (2013).

SAF46030 - Safequip Nitro XT

- Full cut design
- ABS moulded outer shell
- Soft EVA padded liner
- Adjustable ratchet harness
- Adjustable chin strap
- Padded chin guard
- Logo service available
- Certification: EN1385 (2013)

Gloss Colours: White, Red, Yellow
Matt Colours: Black
Metallic Colours: Blue

Sizes:
S 56 - 58cm
M 58 - 60cm
L 60 - 62cm

SAF46020 - Gecko MK11 Marine Helmet

Using computer aided design the ABS or unique Kevlar fibreglass construction provides protection and interaction with existing equipment including drysuit, lifejacket etc. The Lightweight grooved design gives excellent strength to weight ratio.

An inflatable liner is incorporated through the design, which allows the user through an oral valve to inflate or deflate to ensure a perfect fit.

Colours: White, Orange, Blue, Yellow, Green, Red, Matt Black, Gloss Black Fluo Yellow, Fluo Orange

Visors: Long and Short available in Clear, Smoke or Tinted

Certification BSI approved to P.A.S. 028: EN ISO:12492

SAF62004 - Floating Wading / Search Pole
SAF62012 - Telescopic Floating Wading / Search Pole

The new floating wading / search poles are both robust yet lightweight. They are manufactured from aircraft grade aluminium and are sealed with a protective coating to ensure long life. The poles have been designed to float and are fitted with a nubbed handle at the top and a non slip hand grip lower down to aid use. The bottom of the poles are fitted with a rubber weighted foot, which offers good non slip properties. The poles come with a self adhesive coloured marking kit, which can be applied as required.

Dimensions - Length: 1.68m, Diameter: 32mm, Hand Grip: 30cm, Weight: 0.8kg
Dimensions - Length: 1.00m, Diameter: 32mm, Hand Grip: 30cm, Weight: 0.8kg (Telescopic)

SAF62006 - Telescopic Reach Pole

Lightweight extendable-reach-rescue stick for the extension of personal rescue / retrieval range. The design incorporates a rugged 3 section extension handle with a simple but efficient independent clamp lock between each section.

- Compact easily transportable rugged design for operation in the field
- Quick deployment from storage to full extension
- Over 4.5 metre reach
- Highly visible design for use in low light conditions
- Hook design ideally suited to hook / lift / drag applications
- Weight: 1.5kg
- Length (stowed): 189.5cm
- Length (fully extended): 467cm
- Hook width: 8.2cm
- Hook length: 12cm

SAF62001 - Rescue Throw Bags

- Manufactured from hard wearing ripstop fabric
- Colour: Red
- 10mm reflective floating rope
- 360 degree reflective webbing
- Dual layer construction with buoyant foam insert
- Drawstring top with toggle fastener and rope loop
- Compact size for easy stowage
- Twin guide belt loops & lash tab
- Care and user instructions printed on the side
- Reinforced hand loop
- Elastic “lightstick” loop

Sizes: 10M, 15M, 20M, 25M

SAF62013 - Throw Bag Belt

- Adjustable waist belt 50mm webbing
- Fix lock quick release buckle with release toggle
- SR buckle belt fastening
- One size

SAF62016 - Flotation Rescue Harness

- The NEW flotation rescue harness is manufactured from tough Ripstop polyester fabric.
- Supersoft foam for maximum buoyancy.
- Webbing lifting handles.
- Adjustable harness with ‘D’ ring.
- Supplied with stowage bag and attaching straps
- 2 x lash tabs
- One size.

SAF62007 - Telescopic Wading Pole

- Colours: Black
- Fully extends to 63”
- Reduces down to 34”
- Adjustable twist lock mechanism
- Fitted with lanyard
- Weighted foot with rubber grip
- Rubberised handle with clip
- Compact size
- Weighs 20oz

SAF61000 - Edelrid 11mm Rescue Float

This 11mm rope has been developed for use in and on the water.

Manufactured from polypropylene this special rope meets the high demands for static ropes. The rope is very buoyant due to its refined sheath.

Certification: EN:1891 Type B
Sizes Available: 50m, 100m, 200m

SAF61004 - 8mm Floating Rope
SAF61005 - 10mm Floating Rope

- 100% polypropylene rope
- Supplied in 300M drums

LYBCSW11 - Beal 11mm ProWater

The BEAL PRO-WATER has been specially developed for those emergency services that may combine working at height and technical rope rescue with swift water recovery. This rope is fully compliant EN1891 Type A low stretch rope that genuinely floats.

Nylon kermantle construction floats due to the addidition of 6mm neoprene cord inserted into the ropecore

A bright hi-vis orange colour outer sheath

Virtually zero shrinkage in water as all the nylon yarns are pre-shrunk

SAF62003 - Aqua Scope

Ideal for viewing underwater from a boat

Tough plastic non corrosive construction

Separates into sections for easy stowage

SAF62000 - Life Buoy

Colours: Orange

Foam filled Lifebuoy ring with SOLAS reflective tape and grab rope for use in all types of water rescue situations.

- Foam filled lifebuoy ring
- SOLAS reflective markings
- Weight: 2.5kg
- 30” diameter
- Grab rope for use in water rescue

SOLAS Approved

SAF36000 - 12 Hour Lightsticks

- 12 hour glow time
- Breakaway lanyard
- Length 6”
- Nato Stock number

Colours: Red, Green, Yellow, Orange, Blue, White

SAF33046 - Fox 40 Whistle

- Constant penetrating sound
- Plastic construction
- Stainless steel split ring

Colours: Orange & Yellow

SAF33036 - Tornado T2000

- Plastic construction
- Stainless steel split ring
- Solas Approved

Colours: Orange

SAF48022 - Overboard Adventure Waterproof Duffel Bag

- Manufactured in tough PVC tarpaulin
- Toughened durable base
- Quick release backpack straps
- 4 x compression straps
- Internal mesh zip pocket
- Lockable zip
- Top carry handle
- ID pocket
- Zip mesh pocket
- Colours - Black & White

Sizes: 35L, 60L, 90L

AQ108 - Mini Whanganui Phone / GPS Case

- Manufactured from TPU
- Case allows ease of touch screen
- Supplied with adjustable lanyard
- Guaranteed to IPX8

W 100mm x H 260mm x D15mm

AQ229 - VHF PRO Case

- Manufactured from double layered TPU
- Allows easy use of buttons & switches
- Talk & hear as normal through the case
- Supplied with 3 point harness
- Guaranteed to IPX8 (Underwater to 5m)

W165mm x H400mm x D15mm

AQ228 - Small VHF Classic
AQ248 - Large VHF Classic

- Manufactured from TPU
- Allows easy use of buttons & switches
- Talk & hear as normal through the case
- Supplied with adjustable lanyard
- Guaranteed to IPX8 (Underwater to 5m)

W130mm x H370mm x D15mm
W165mm x H430mm x D15mm

OVERBOARD

SAF48000 - 5L Dry Tube Bag
SAF48001 - 12L Dry Tube Bag
SAF48002 - 20L Dry Tube Bag
SAF48003 - 30L Dry Tube Bag
SAF48004 - 40L Dry Tube Bag

- 600 denier PVC material
- Easy to fold system
- 100% waterproof
- Electronically welded seams
- Floats safely if dropped in water
- Durable wipe clean outer shell
- Additional shoulder strap, D ring and hook

Colours:
5L - Blue, Black, Pink, Yellow
12L - Red, Yellow
20L - Blue, Black, Pink, Yellow
30L - Red, Yellow
40L - Blue, Red, Yellow

AQ658 - Medium Whanganui

- Manufactured from TPU
- Get HD video through LENZFLEX optically clear windows
- iPad screen works normally through the special TPU material
- Guaranteed to IPX8 (Underwater to 5m)

W 250mm x H 450mm x D 20mm

AQ638 - Waterproof iPad Case

- 3.5mm nikel plated headphone socket
- ipad screen works normally through the case
- LENZEFLEX optically clear front window
- LENZEFLEX camera window on back
- Will NOT float with an iPad inside
- Guaranteed to IPX8 (Underwater to 5m)

aquapac

SAF62017- Safequip Mud Lance Dual Fitting

SAF62023 - Safequip Mud Lance Single Fitting

Stainless steel T-Bar and probes with on / off ball valve operated levers and options for 50cm or 1m probes. Operates on 8 bar air pressure from standard BA cylinder or 9 bar water pressure from appliance hose reels or can be operated via a 6 litre water extinguisher.

Used by many Fire Services and Rescue Organisations as an effective means of rescue from mud or soft ground.

SAF66001 - Premium Hose Inflation Kit

2 x High pressure hoses 1.3m, 3 way ball valve assembly incorporating pressure relief valve at 3.5 bar, female layflat with inflation valve, Male blank cap with lifting eye.

SAF66000 - Economy Hose Inflation Kit

2 x high pressure hoses 1.3m, Hand control valve, Female blank cap with inflation valve and lifting eye, male layflat blanking end.

Part Numbers Description

SAF66002 - 3 bar regulator
SAF66003 - Vettle hand controller
SAF66004 - 3 way economy valve system
SAF66005 - Female lay flat inflation tail end
SAF66006 - Female inflation blank cap
SAF66007 - Male blanking cap
SAF66008 - Male blanking tail end
SAF66009 - Hose from regulator to hose controller
SAF66010 - Hose from inflation control to hose
SAF66011 - Stowage Bag

SAF66000

SAF66001

SAF66002

SAF66003

SAF66004

SAF66006

SAF66005

SAF66008

SAF66007

SAF66009

SAF66010

SAF 62002 - AQUA-SAC - S.O.S BAGS

The AQUA-SAC S.O.S. Bag is a sturdy jute sack containing a super absorbent polymer (SAP), which is retained inside a finely woven inner bag. After soaking in water for 5 – 8 minutes, the S.O.S. Bag self-inflates to over 30 times its original size.

After inflation, the AQUA-SAC S.O.S. Bag can be used in the construction of flood defences such as dams or protecting property.

AQUA-SAC S.O.S. Bags are supplied in bundles of 25 in a protective wrapper, and may be stored for 5 years under dry conditions.

- The aqua-sac s.o.s bag is a patented design which sets it apart from any other self inflating sand bag.
- The unique design concept of aqua-sac is the central stitch, which when inflated gives the aqua-sac® the stability needed to be fit for purpose.
- At 13kg the aquasac is significantly lighter than a traditional sandbag
- Aqua-sac are contained in sealed packs giving a shelf life in excess of 5 years

Dimensions of dry bag: 60cm x 37cm

Weight after inflation in water: 13kg

Weight before inflation in water: 0.4kg

AQUA-SAC™

Pack of 25 Bags

Place in water to inflate in 5 mins

Build a wall to protect

AQUA-SAC 2012 - Testimonial

In December 2012 we were given 24hrs notice of a flood alert on our house. We had been stockpiling aqua-sacs in our Flood Warden's garden shed and I was able to carry a single bag of 25 aqua-sacs to my home quite comfortably in one trip. As the water rose and crept towards the house, we used it to wet the sacs as instructed, and fitted them across our doors. The partly inflated sacs are easy to handle and carry so this didn't take long. The sacs layered easily, like bricks, and it was particularly easy to squeeze them under the door frame and mould them around the uprights in this semi-inflated form. As the water came up to the aqua-sacs, they swelled into place and filled all the gaps that traditional sandbags did not. Luckily, the water did not come as high this time, so we were not flooded. The bags can be reused or disposed of without harming the environment.

I wish our house was a metre higher, but as it is not, I'm very glad we have aqua-sacs rather than traditional sandbags.

SAF44029 - Venture Gear Bag

The Venture Gear Bag is manufactured from 1000D polyester fabric. It comes with 3 separate compartments and the main compartment has a separate inner liner which allows equipment to be segregated.

- Manufactured from 1000D polyester fabric
- 120L total capacity
- Main compartment - 90L
- End compartment - 30L
- Removable shoulder strap
- 2 way metal zip
- Twin webbing carrying handles
- Rubberised base pads
- Reflective panels
- ID Pocket
- Main hold: 40 x 61 x 36cm
- End pocket: 40 x 20 x 35cm

Colour: Red

SAF44008 - Venture Pro PVC Kit Bag

Large robust kit bag with a 125 litre capacity. Manufactured from heavy duty PVC fabric which is both durable and easy to clean. It is also fitted with a generous roll out changing mat, and internal removable stowage bag.

- Robust hard wearing 1000D PVC fabric
- Mesh vents at both ends to allow ventilation
- Two way metal zip
- ID pocket & reflective markings
- Removable internal dry stowage bag with zip closure
- Roll out changing mat - 60cm x 90cm
- Webbing shoulder strap
- 2 x Grab handles with grip
- 2 x Padded rucksack straps
- 2 x Rubber lifting handles

Dimensions: 85cm x 43cm x 43cm

SAF44013 - Changing Mat Bag

- ID pocket
- Two way metal zip
- Twin webbing carrying straps
- Drysuit maintenance pocket
- Dimensions: 72 x 52cm

Colour: Black

SAF44026 - 60L Venture PVC Kit Bag
SAF44027 - 100L Venture PVC Kit Bag
SAF44028 - 140L Venture PVC Kit Bag

- Heavy duty PVC fabric
- Two way metal zip
- ID pocket
- Twin webbing carrying straps
- Rucksack style straps supplied
- Single webbing shoulder strap
- Webbing gear loops
- Rubberised base pads
- Mesh internal pocket

Colour: Black

60L Dimensions: 60 x 35 x 35 cm
100L Dimensions: 75 x 40 x 40 cm
140L Dimensions: 85 x 50 x 50 cm

SAF44030 - 20L / 50m Venture Rope Bag
SAF44031 - 30L / 100m Venture Rope Bag
SAF44032 - 40L / 150m Venture Rope Bag

- Heavy duty PVC fabric
- A4 ID Pocket
- Padded carrying straps
- Reinforced base
- Carry handle
- Draw string top
- Internal rope loop

Colour: Red

SAF48015 - Venture 100 Dry Rucksack

The Venture 100 is a large capacity dry rucksack style heavy duty drybag. It is manufactured using 1000D PVC heavy duty tarpaulin fabric and is fitted with a 40” diving grade YKK dryzip for easy access. The bag is suitable for a range of applications, where vital equipment needs to be kept secure and protected from the elements.

- 100L total capacity
- Internal & external rubber taped seams for added security
- Oral inflation tube with protective cover for inflating the bag if required
- Rubberised ID pocket
- 3 x Rubberised grab handles
- 2 x Padded 50mm adjustable shoulder straps
- 12 x Internal webbing gear/securing loops
- Dimensions: L70cm x W40cm x D35cm

Colour: Red

The Safequip range of ResQsleds are developed in partnership with Specialised Inflatable Technologies. They are manufactured using specially woven Hypalon with a Neoprene polymer coating which provides chemical resistance. All ResQsleds have a 15cm drop thread floor which provides rigidity on mud or water. The ResQsleds are designed to carry casualities / rescuers across water, mud or soft ground. They can also be used to paddle across water. All ResQsleds come with a 2 year limited warranty.

SAF38004 ResQSled

- Length: 2.5m
- Width: 0.8m
- Depth: 15cm
- Weight: 12kg
- Pack size: 60cm x 30cm x 25cm
- Inflation valve
- Air Volume - 350 ltr
- Pressure relief valve
- Reflective SOLAS tape
- 5 x D-Rings
- Flip line
- Inflation handpump
- 6 x Carry handles
- 2 x Telescopic paddles
- Stowage / Carrying valise & repair kit
- Optional extras available

Colours: Red/Grey, Yellow/Grey, Green/Grey

SAF38005 ResQsled Plus

- Length: 2.5m
- Width: 1.1m
- Depth: 15cm
- Weight: 14kg
- Pack size: 70cm x 30cm x 30cm
- Air Volume - 450 ltr
- Inflation valve
- Reflective SOLAS tape
- 5 x D-Rings
- Flip line
- Inflation handpump
- 6 x Carry handles
- 2 x Telescopic paddles
- Stowage / Carrying valise
- Repair kit
- Pressure relief valve
- Optional extras available

Colours: Red/Grey, Yellow/Grey, Green/Grey

SAF38040 ResQsled Extreme

- Length: 3.00m
- Internal Width: 0.75m
- Overall Width: 1.2m
- Depth: 15cm
- Weight: 20kg
- Pack Size: 80cm x 40cm x 25cm
- Air Volume Tube - 240 ltr
- Air Volume Floor - 380 ltr
- 5 Person Capacity
- 2 x Inflation valves
- 2 x Pressure relief valves
- 2 x Telescopic Paddles
- 6 x Carry handles
- 6 x D-Rings
- Reflective SOLAS tape
- Stowage / Carrying valise
- Inflation handpump
- Optional extras available

Colours: Red/Grey, Yellow/Grey, Green/Grey

The ResQsled Endurance has extra stabilistation tubes at either end, which provides greater stability especially on faster moving water / weirs. The endurance provides the means for rescues to be safely carried out from either end of the craft.

SAF38042 ResQsled Endurance

- Length: 5m
- Internal Width: 0.75m
- Overall Width: 1.2m
- Depth: 15cm
- Weight: 22kg
- Pack size: 80cm x 40cm x 35cm
- Air Volume Tube - 650 ltr
- Air Volume Floor - 240 ltr
- 5 Person capacity
- 3 x Inflation valves
- 3 x Pressure relief valves
- 2 x Telescopic paddles
- 10 x Carry handles
- 5 x D-Rings
- Stowage bungee
- Reflective SOLAS tape
- 4 x Boarding/engine mounts
- 2 x Lifelines
- Stowage / Carrying valise
- Inflation handpump & repair kit
- Optional extras available

Colours: Red, Yellow, Green, Orange

The Safequip range of ResQrafts are developed in partnership with Specialised Inflatable Technologies. They are manufactured using specially woven Hypalon with a Neoprene polymer coating which provides chemical resistance. All ResQrafts have a 15cm drop thread floor which provides rigidity. All ResQrafts come complete with external lifelines, internal lifelines, deck line, flip lines, carry valise, reflective SOLAS tape and hand pump.

A popular optional extra is the addition of the Composite Transom or Removable Transom to enable the fitting of an outboard engine. All ResQrafts come with a 2 year limited warranty.

SAF38006 8-10 Person ResQraft

- Length: 3.7m
- Overall Width:1.75m
- Floor Depth: 15cm
- Weight: 45kg
- Pack Size: 80cm x 60cm x 40cm
- Air Volume Tubes - 1100 ltr
- Air Volume Floor - 450 ltr
- 8-10 Person capacity
- Reflective SOLAS tape
- 3 x Inflation valves
- 3 x Pressure relief valves
- 2 x Telescopic paddles
- Paddle stowage
- Fuel Bag attachment
- 5 x Carry handles
- 5 x D-Rings
- 3 x Forward towing patches
- 1 x Bowline
- Stowage / Carrying valise
- Repair kit

Colours: Red/Grey, Yellow/Grey, Green/Grey

SAF38032 15 Person ResQraft

- Length: 3.7m
- Overall Width:1.75m
- Weight: 65kg
- Pack size: 80cm x 60cm x 60cm
- Air Volume Tubes - 1800 ltr
- Air Volume Floor - 600 ltr
- 8-10 Person capacity
- Reflective SOLAS tape
- 3 x Inflation valves
- 3 x Pressure relief valves
- 2 x Telescopic paddles
- Paddle stowage
- Fuel Bag attachment
- 10 x Carry handles
- 5 x D-Rings
- 3 x Forward towing patches
- 1 x Bowline
- Stowage / Carrying valise
- Repair Kit

Colours: Red/Grey, Yellow/Grey, Green/Grey

SAF38056 - 6 Person Urban Flood Raft

Based on the White Water ResQraft design, but comes without cross tubes and self bailing floor.

SAF38011 - White Water ResQraft

- Length: 3.7m
- Overall Width:1.75m
- Weight: 37kg
- Pack size: 60cm x 40cm x 40cm
- Air Volume Tube - 1400 ltr
- Air Volume Floor - 200 ltr
- 5 Person Capacity
- 5 x Inflation valves
- 5 x Pressure relief valves
- 2 x Telescopic paddles
- Paddle stowage
- 4 x Carry handles
- 4 x D-Rings
- External lifeline
- Self bailing floor
- Stowage bungee
- 2 x Seat patches
- Reflective SOLAS tape
- Stowage / Carrying valise
- Repair kit
- Inflation handpump
- Optional extras available

Colours: Red, Yellow, Green, Orange

The inflatable reservoirs are manufactured from specially woven hypalon fabric and come fitted with webbing anchor straps. The reservoirs are suitable for both water or foam storage and can be manufactured in different sizes with a wide range of options. As standard they come with an inflatable collar and pressure relief valve to avoid over inflation and can be inflated using a BA cylinder or hand pump. All reservoirs come with a 2 year limited warranty.

SAF38045 - 6000L Reservoir
SAF38049 - 4000L Reservoir

- Carrying valise
- Inflation handpump
- Repair kit
- Drain Point
- 8 x Anchor points
- Hose coupling inlet
- Suction hose coupling (Optional)
- Ground sheet (Optional)
- Cover (Optional)
- Stowage / Carrying valise

Colour: Black

The Safequip range of ResQpaths / Platforms are developed in partnership with Specialised Inflatable Technologies. They are manufactured using specially woven Hypalon with a Neoprene polymer coating which provides chemical resistance. All ResQpaths have a 15cm drop thread floor which provides rigidity and are manufactured in 2M, 3M, 5M and 10M lengths. The ResQpaths come with attachment points to enable paths to be joined together when longer distances are required. The ResQpaths are designed to be used on mud, ice, sand and other soft surfaces as well as water. Ideal for use in Animal Rescue situations where a stable platform is required for protracted working. All ResQpaths come with a 2 year limited warranty.

SAF38050 - 2m ResQpath

- Weight - 18kg
- Pack size - 60 x 30 x 30cm
- Air Volume 450 ltr
- Overall Width - 1.3m
- 6 x Carry Handles
- 2 x External Lifelines
- 2 x Telescopic Paddles
- Reflective SOLAS tape
- 4 x D Rings
- Inflation handpump
- Stowage / Carrying valise
- Repair kit
- Optional extras available

Colours: Red/Grey, Yellow/Grey, Green/Grey

SAF38051 - 3m ResQpath

- Weight - 28kg
- Pack Size - 60 x 40 x 40cm
- Air Volume - 680 ltr
- Overall Width - 1.3m
- 6 x Carry Handles
- 2 x External Lifelines
- 2 x Telescopic Paddles
- Reflective SOLAS tape
- 4 x D Rings
- Inflation handpump
- Stowage / Carrying valise
- Repair kit
- Optional extras available

Colours: Red/Grey, Yellow/Grey, Green/Grey

SAF38002 - 5m ResQpath

- Weight - 40kg
- Pack Size - 60 x 50 x 50cm
- Air Volume - 1150 ltr
- Overall Width - 1.3m
- 6 x Carry Handles
- 2 x External Lifelines
- 2 x Telescopic Paddles
- Reflective SOLAS tape
- 4 x D Rings
- Inflation handpump
- Stowage / Carrying valise
- Repair kit
- Optional extras available

Colours: Red/Grey, Yellow/Grey, Green/Grey

SAF38003 - 10m ResQpath

- Weight - 80kg
- Pack Size - 70 x 70 x 70cm
- Air Volume - 2300 ltr
- Overall Width - 1.3m
- 6 x Carry Handles
- 2 x External Lifelines
- 2 x Telescopic Paddles
- Reflective SOLAS tape
- 4 x D Rings
- Inflation handpump
- Stowage / Carrying valise
- Repair kit
- Optional extras available

Colours: Red/Grey, Yellow/Grey, Green/Grey

BOAT & ENGINE PACKAGES

Safequip are able to supply a "Total Package Solution" which includes boat, engine, trailer and a range of accessories upon request. We work with some of the biggest brands in the industry including Yamaha and Mariner/Mercury for both engines and trailers, providing you with technical advice and assistance when procuring these types of products.

We have a proven track record in supplying both engines and trailers and can arrange for demos, run by our own experienced boat operators, who will provide you with expert advice about all the options available. It is important that when purchasing boats and engines that they are compatible to provide the best possible performance and are suitable for the applications they are intended. All ResQcraft come with a 2 year limited warranty.

For further information contact our sales team on +44 (0) 1259 727835 or sales@safequip.co.uk

ResQcraft Specifications

	3.8m	4.0m	4.7m	5.0m	5.3m
Overall Beam (m)	2.2	2.2	2.2	2.2	2.2
Internal Beam (m)	1.2	1.2	1.2	1.2	1.2
Weight (kg)	65	75	85	92	100
Packed Size (cm)	120 x 60 x 50	150 x 65 x 50	150 x 60 x 55	150 x 70 x 55	150 x 70 x 60
Volume Tubes (ltr)	1300	1600	1800	1900	2200
Volume Floor (ltr)	400	600	700	800	850

The ResQcraft has been developed to meet the requirements of global rescue services where maximum load capacity, minimal transportation requirements and speed of deployment are all critical. The ultra tough craft is manufactured using Hypalon fabric and is ready for deployment in their standard specification or can be further enhanced with a range of optional extras. All crafts come manufactured with a 15cm drop thread floor to enhance the rigidity.

The ResQcrafts are currently being used by many Fire & Rescue Services throughout the UK having found that the boats performance exceeds the required Defra guidelines. All ResQcraft come with a 2 year limited warranty.

SAF38052 3.8m ResQcraft
SAF38007 4.0m ResQcraft

- 2 x External lifelines
- 5 x Carry handles
- 1 x Bowline
- 3 x Inflation valves
- 2 x Pressure relief valves
- Composite transom
- 2 x Transom towing U bolts
- Deck drain/drain socks
- Engine transom plate
- Inflation handpump
- Stowage / Carrying valise
- 2 x Telescopic paddles
- Paddle stowage
- Rigid fuel tank straps
- 1 x Deckline
- 2 x Fliplines
- 3 x Forward tow patches
- 1 x Internal lifeline
- 2 x Flexi fuel bag attachment
- Repair kit
- Reflective SOLAS tape
- Seat patches

Colours: Red/Grey, Black/Grey

SAF38016 - 4.7m ResQcraft
SAF38010 - 5.0m ResQcraft
SAF38047 - 5.3m ResQcraft

- 2 x External lifelines
- 5 x Carry handles
- 1 x Bowline
- 3 x Inflation valves
- 2 x Pressure relief valves
- Composite transom
- 2 x Transom towing U bolts
- Deck drain/drain socks
- Engine transom plate
- Inflation handpump
- Stowage / Carrying valise
- 2 x Telescopic paddles
- Paddle stowage
- Rigid fuel tank straps
- 1 x Deckline
- 2 x Fliplines
- 3 x Forward tow patches
- 1 x Internal lifeline
- 2 x Flexi fuel bag attachment
- Repair kit
- Reflective SOLAS tape
- Seat patches

Colours: Red/Grey, Black/Grey

SAF38038 - Compact Inflation Kit

The new kit has been developed for use with compressed air cylinders and comes preset at 9.5 Bar and is suitable for both 200 & 300 bar DIN fittings.

The system has a 36” EN:250 certified hose assembly which includes screw in valve fitting and comes with a hose swivel for easy single operator inflation.

SAF38046 - Engine Trolley

- Modular outboard engine trolley, manufactured from 30mm box steel.
- Comes fitted with 30cm diameter wheels with sealed bearings and pneumatic tyres.
- The trolley is suitable for engines up to 80kg and can be adjusted for both short and long shaft engines.
- The trolley is fitted with a removable handle for easy storage.
- Dimensions: H107cm x W60cm x D50cm
- Weight: 11.7kg

SAF39022 - Removable Boat Wheels

- Tough box steel construction
- Protective rust resistant coating
- Adjustable height options
- Fitted with 30cm diameter wheels with sealed bearings and pneumatic tyres
- Easy fit securing brackets
- Can be easily removed using the split pin mechanism

SAF39018 - Boat Towing Bridle

The floating towing bridle has been developed to offer flexible towing options with either equalisation function or fixed point towing. It is manufactured using 10mm floating rope and together with the float, it ensures that the bridle floats on the water and avoids getting tangled with the propeller.

The bridle comes pre-rigged for equalisation towing and can be easily changed to fixed point towing.

SAF39017 - Combination Paddle

This paddle can be used as two Canadian canoe paddles or as one kayak paddle

Lengths - As canoe paddles 150cm & 158cm

As a kayak paddle 215cm

SAF39001 - Carlisle Canoe Paddle

- Canoe paddle manufactured from P/E with an aluminium shaft
- T-Grip handle.
- Length: 152cm

SAF39019 - Mako Canoe Paddle 130cm

- P/P blades on a back anodised aluminium shaft
- Tough heat shrink sleeve
- T-Grip handle.
- Length: 150cm

SAF39021 - Emergency Paddle

- Telescopic Hi-Vis emergency paddle
- Length: 53cm - 105cm
- Compact for easy stowage
- Floats if dropped in water

SAF39008 - Super 6 Hand Pump

- Double action pump (works while pushing and pulling).
- Body made of PP (with auto lubricating properties ABS doesn't have)
- Inflate and deflate options
- Completely rotating handle
- Pressure up to 1 atm (14.7 psi)
- Supplied with high quality spiral hose (we do not supply corrugated hoses!) and universal fittings wheel
- Used in medicine / first aid / rescue for immobilization vacuum mattresses, boats and rafts.

SAF39016 - Folding Grapnel Anchor

- 2m galvanised chain
- 10m x 10mm polypropylene rope
- Stainless steel swivel fittings
- 14" Anchor
- Stainless steel carbine hook

SAF39012 - Clam Shell

The ClamSeal™ is an instant inflatable repair which can repair splits and tears up to 90mm in length without the use of any hand tools, or adhesive. ClamSeal™ is a patented glue-less repair system and instantly repairs small tears or splits in inflatables above or below the waterline - regardless of the fact that the material may be wet.

The system works by using two half "shells" that screw together tightly, using the inflatable material itself as a water and air-tight seal. It is quick and easy to fit and effects an immediate repair keeping your inflatable in operation.

SAF47003 - Tekno Rescue

- Colour: Yellow
- 3.5” Teflon coated blade
- Moulded plastic sheath
- Lanyard hole and shackle key
- Hooked rope cutter
- Round ended blade for safe use
- 8” Overall length

SAF47017 - Microsub PT

- Colour: Yellow
- Hardened stainless steel blade
- Blunt end design to avoid puncture
- Serrated edge
- ABS handle shackle key
- ABS / Nylon locking sheath

SAF47014 - Rapid Ti Knife

- Colour: Black
- Titanium blade for use in salt water
- Smooth and serrated cutting edges
- Blunt tip design
- Sheath designed to fit on lash tap

SAF47035 - NRS Co-Pilot

- Coloure: Black, Yellow
- Titanium Blade for salt water
- Smooth and serrated cutting edges
- Blunt tip design
- Bottle opener
- Compact design is a good fit on your PFD

SAF47001 - Safety Lock RC

- Colour: Yellow
- 2.5” serrated blade with blunt end
- Anti corrosion Teflon coated blade
- 4.5” closed length
- Round ended blade for safe use
- Shackle key and lanyard hole

SAF47021 - Safety Lock

- Colour: Yellow
- 2.5” serrated blade with blunt end
- Anti corrosion Teflon coated blade
- 4.5” closed length
- Shackle key and lanyard hole

SAF47005 - TS05 Webbing Cutter

- Colour: Yellow
- Stainless steel blade
- Knife length 12.5cm

SAF47013 - Magellan vs

- Colours: Blue
- Shackle unlocker, bottle opener, marlin spike
- Stainless steel blade
- Knife length 18cm
- Blade length 7cm

SAF47002 - Skipper

- Marlin spike, shackle key, screwdriver
- Colours: Red, Yellow, Blue

SAF47031 - TS09 Twin Rescuer

- Colours: Yellow, Red, Black, Green
- Stainless Steel Blade
- Knife length 13.5cm

Drysuit Spares

DS1 HD Latex Neck Seal
DS2 3D Heavy Duty Latex Socks
DS3 Conical Latex Cuff Seals
DS4 Bottle Neck Latex Cuff Seals
DS5 Latex Ankle Seals
DS6 Neoprene Neck Seal
DS7 Neoprene Cuff Seals
DS8 Neoprene Socks
DS9 720001 28" - 38" Standard Drysuit Zips
DS10 10" Con Zip
DS11 Neoprene Thermic Boot
DS12 Safety Wellington Boots
DS13 Adustable Drysuit Braces
DS14 250ml Two Part Adhesive
DS15 500ml Two Part Adhesive
DS16 Toluene Cleaner
DS17 MC-725 25mm Rubber Tape
DS18 MC-740 40mm Rubber Tape
DS19 Bottle French Chalk 130g
DS20 Beeswax 28g
DS21 Virkon Aquatic Disinfectant/ Sanitiser
DS22 Stormsure Flexible Repair Adhesive

SAF33062 - Drysuit Maintenance Kit

- Drysuit Talc
- Beeswax
- Fabric Repair Patches
- Adhesive
- Emery paper
- Instructions

Lifejacket Spares

LS1 - 33g CO2 Cylinder
LS3 - 60g CO2 Cylinder

LS45 - Hammar A1 Re-Arm Unit (front part only)

LS51 - Halkey Roberts Auto Operating Head
LS52 - Halkey Roberts Manual Operating Head

LS53 - UML Auto Operating Head
LS54 - UML Manual Operating Head

LS23 - Lifejacket Whistle

LS12 - UML Blanking Cap

LS6 - MK5 UML Replacement Operating Cartridge

LS13 - Halkey Roberts Super Bobbin

LS55 - ISP Water Activated Lifejacket Light

SAF11000 - Tiger Matrix Fire Suit

Material Composition:

- PBI® Matrix, 205 g/m2 – PETROGUARD®
- GORE-TEX® Fireblocker N, 140 g/m2
- Nomex® Comfort Grid, 200 g/m2 - SOFIDRY®
- Optional: Thermo Ultra 2, 200g/m2

Features:

- Higher mechanical parameters for tear, strength and abrasion
- High heat resistance
- Low weight of material composition – high comfort
- Colours: Gold, Black and Navy

Tested on PYRO-MAN mannequin in USA (annex C complies with EN 469:2005)

SAF11001 - Tiger Plus Fire Suit

Material composition:

- Nomex® DIAMOND ULTRA, 210 g/m2,
- SOFIGUARD® Performance
- GORE-TEX® Fireblocker N, 140 g/m2
- Optional:CROSSTECH®, 135g/m2
- Nomex® Comfort Grid, 200 g/m2, SOFIDRY®

Features:

- Low weight of the material composition - high comfort
- Better appearance and higher mechanical parameters of the fabric
- Pattern changes for higher comfort and protection
- Colours: Dark Blue, Orange, Red, Yellow, Lime-Green, Sahara

THERMO-TEX TEST (tested according to EN 469:2005 - annex C) - 2nd / 3rd degree burn

SAF11002 - Patriot Fire Suit

Material composition:

- Nomex® STRIKE, 220 g/m2 - SOFIGUARD®
- PU Membrane SKIN LINE FR, 145g/m2
- ARALINEX, 250g/m2

Features:

- excellent heat-isolating features

THERMO-TEX TEST (tested according to EN 469:2005 - annex C) – 2nd / 3rd degree burn

Optional advance version (extra microphone and torch loops, side pockets, shoulder and knee reinforcement)

DuPont™ Nomex®

THERMO-TEX® TEST

Smart Seam Saver

SOFIGUARD®

SAF40039 - Fox Structural Fire Glove

- Premium grain cowhide outer shell
- Kevlar lining for added cut protection
- Wing thumb design
- Polyurethane mositure barrier
- Twinlayer Kevlar® wrist with leather pull tab
- Certification: EN659
- Sizes S, M, L, XL, XXL

SAF45020 - Carbon X Flash Hood

- Manufactured in CarbonX
- Long length bib design
- Colours: Black only
- EN13911, EN11612, EN IEC61482

SAF45021 - Kermel Lenzing Hood

- Manufactured using FR Kermel and Lenzing fabric
- Long length bib design
- EN13911

SAF45022 - P84 Lenzing Fire Hood

- Manufactured in P84® polymide fibre
- Short length design
- Inherently flame resistant
- Superb breathability and moisture absorbency
- Natural yellow colour
- NFPA 1971

Working together with our manufacturing partner Deva we can offer a bespoke range of coveralls manufactured in Nomex, Cotton or PBI Matrix. These designs can be tailor made to your exact specification ensuring that the garment is fit for the purpose that you require.

Please contact a member of the Safequip team for further information

SAF11003 - Climber II Coverall

DuPont™ Nomex®

Material Construction:
cotton, 260 g/m2

Optional:

- PES/Cotton, 260 g/m2
- Nomex® Comfort RS, 220 g/m2 - SOFIGUARD®
- Nomex® / VISCOSE, 220 g/m2 - SOFIGUARD®

Features

- Clothing for rescuers and climbers
- Colours: Orange, Red, Blue
- Optional reflective tape
- Nomex® and Nomex®/Viscose the protective clothing meets EN ISO 11612, EN 1149, EN 15614

SAF11004 - Police Riot Overall

This garment has been designed in mind for the Police Riot teams or the Prison Service. Manufactured in Nomex® Comfort the garment provides protection against heat, flame and antistatic charge.

Various pocket and design configurations can be incorporated into this garment.

PBI®

SAF11005 - USAR Coverall

This coverall has been designed and manufactured to the special requirements for fire and rescue teams working in natural disasters and the harshest environments.

Manufactured in choice of fabrics including PBI® Triguard 165g/m2, Nomex® Comfort 220g/m2 or PES Cotton

Colours: Sahara, Orange, Red, Blue

Two piece garments also available

RWJC001 - AWD Moisture Wicking T-shirt

- Fabric: 100% Polyester
- Weight: 140gsm
- AWD's own Neoteric™ textured fabric
- Inherent wicking fabric
- Self fabric taped back neck
- Set in sleeve design
- Twin needle stitching
- Available in 30 colours, including Black, Navy and White

XS - 35", S - 38", M - 40", L - 43", XL - 45", XXL - 48", 3XL - 50"

RWJC040 - AWD Moisture Wicking Polo

- Fabric 100% polyester
- Weight: 140gsm
- AWD's own Neoteric™ textured fabric
- Inherent wicking fabric
- Self fabric taped back neck
- Set in sleeve design
- Twin needle stitching
- Available in 20 colours, including Black, Navy and White

XS - 35", S - 38", M - 40", L - 43", XL - 45", XXL - 48"

PWSK18 - Extreme Cold Weather Sock

- Fabric Outer: 40% Wool, 40% Acrylic, 20% Nylon
- Fabric inner: 100% Viafil®
- Dual construction with outer shell consisting of a high wool content. Inner Viafil® layer is anti odour, anti fungal with insulation and moisture transfer properties

Black / Grey Sz 6 - 8.5
Black / Grey Sz 9 - 13

PWSK33 - Boot Sock

- Fabric: 79% Acrylic, 15% Nylon, 6% Polyester
- Great value socks featuring a cushioned sole for wearer comfort and a durable reinforced heel and toe area

Black / Grey Sz 6 - 8.5
Black / Grey Sz 9 - 13

PWSK10 - Combat Sock

- Fabric: 40% Wool, 40% Acrylic, 20% Nylon
- Workwear sock with cushioned foot and reinforced heel and toe areas for extra comfort

Black Sz 6 - 12

SAF42013 - Primus 21 Zip Fire Boot

- 2.4mm - 2.6mm waterproof leather
- Dual density sole construction
- Rubber outsole for maximum grip
- Nomex heat resistant laces and threads
- Abrasion resistant scuff cap
- Sympatex® high2out waterproof climate system
- Fully opening zipper for easy cleaning

EN 15090:2006 F2A CI HI3

Sizes: 3 - 15 Full Sizes

SAF42025 - Kommandant PRO Pull on Fire Boot

- 2.4mm - 2.6mm waterproof leather
- Dual density sole construction
- Rubber outsole for maximum grip
- Abrasion resistant scuff cap
- Pull on loops for easy donning
- Sympatex® high2out waterproof climate system
- Fully opening zipper for easy cleaning

EN 15090:2006 F2A CI HI3

Sizes: 3 - 15 Full Sizes

SAF42028 - Leutant Fire Boot
SAF42030 - Leutant Pro Fire Boot

- 2.4mm - 2.6mm waterproof leather
- Dual density sole construction
- Rubber outsole for maximum grip
- Abrasion resistant scuff cap
- Pull on loops for easy donning
- Fully opening zipper for easy cleaning

EN 15090:2006 F2A CI HI3

Extras on SAF42030

- Textile Lining
- Padded ankle

Sizes: 3 - 15 Full Sizes

HK8036 - Hunter Fire Glove

- Four layer textile glove with membrane
- PBI used for the back of hand
- Palm manufactured from Kevlar with silicon layer
- Porelle breathable membrane
- Kevlar and Nomex mix liner
- 100% Kevlar liner next to hand
- Kevlar knit wristband

Certification: EN659:2004+A1:2008
Sizes:6(XS), 7(S), 8(M), 9(L), 10(XL), 11(XXL)

HK8010 - Cheyenne Fire Glove

- Four layer leather glove with membrane
- Palm and knuckle Kevlar reinforcement
- Special treatment against high temperature penetration of water and oils
- Water resistant Porelle membrane which provides a barrier against bacteria, blood and chemicals
- Kevlar and Nomex mix liner
- Kevlar knit wristband

Certification: EN659:2004+A1:2008
Sizes:6(XS), 7(S), 8(M), 9(L), 10(XL), 11(XXL)

HK8026 - Tiffany Fire Glove
HK8027 - Tiffany Basic Fire Glove (without membrane)

- Four layer leather glove
- Porelle breathable membrane (Tiffany only)
- Upper material leather hide split
- Special treatment against high temperature penetration of water and oils
- Water resistant Porelle membrane which provides a barrier against bacteria, blood and chemicals
- Kevlar and Nomex mix liner
- Kevlar knit wristband

Certification: EN659:2004+A1:2008
Sizes:6(XS), 7(S), 8(M), 9(L), 10(XL), 11(XXL)

HK6500 - Lesley Rescue Glove

- The advantage of this glove is flexibilty and resistance to mechanical risks
- Elastic textile glove back
- Synthetic leather glove palm
- Joint protection - a reflective stiffener with a foam filling
- Kevlar pads provide protection for fingers and palm

HK6500 - Lesley Plus Rescue Glove

- Kevlar lining for added protection
- Certification: EN388

Sizes: S, M, L, XL, XXL

The all new Safequip X-TRACT™ Rescue Glove has been designed to meet the demands required from the harshest of environments. Manufactured using Durable Clarino and Schoeller® stretch fabric, it comes with the added insurance of a cut level 5 Kevlar® liner and addidtional Armotex® reinforcement on the palm, fingers and thumb saddle.

Applications for use include Fire & Rescue, USAR, Demolition, Heavy Construction, Drilling / Mining, Oil / Gas and Recycling

SAF40038 - X-TRACT™ Rescue Glove

- Durable Clarino synthetic leather on fingers, thumb and palm
- Armotex® reinforcement on palm fingers and thumb saddle
- Full Kevlar® lining for added cut resistance performance
- PVC reinforced fingertip gripping zones
- EVA palm padding to damp shock impact
- Double-needle Kevlar® stitching
- Stretch Schoeller® - Dynamic fabric shell for comfort and fit
- Elasticated wrist and debris cuff
- EVA knuckle pad with reflective pattern
- Machine washable at 30°
- CE certified EN:420, EN:388, EN:407

Sizes available: XS, S, M, L, XL, XXL

SAF40006 - 740 Rope Rescue

- Double reinforced EVA-padded rope zone with rope channel
- Double layer Amara palm and fingers
- Amara reinforced fingertips, thumb and knuckle
- EVA knuckle pad
- Adjustable wrist Velcro for extra security
- Double needle Kevlar stitching

Sizes: S, M, L, XL, XXL

SAF40005 - 730 Technical Rescue

- Keprotec reinforcement on palm fingers and thumb saddle
- Amara on fingers thumb and palm
- EVA knuckle pad
- EVA palm padding
- Double needle Kevlar stitching
- PVC reinforcement finger gripping zones
- Stretch spandex shell for comfort and grip

Sizes: S, M, L, XL,XXL

SAF41002 - 340 Rubber Knee Pad c/w Shin Guard

- Slip resistant long rubber cap to grip work surfaces
- 840D Nylon fabric cover with tapered shin guard
- 12mm NBR Foam padding
- Anti bacterial treatment
- Buckle closure

Size: Universal fit

SAF40031 - 925FX Impact Glove

- Moulder TPR armour on knuckles and fingers
- Reinforced Kevlar® palm stitching
- Reflective accents and Hi-Vis colour scheme

Sizes: S, M, L, XL, XXL

SAF41000 - 335 Rubber Knee Pad

- Slip resistant long rubber cap to grip work surfaces
- 12mm NBR Foam padding
- Anti bacterial treatment
- Buckle closure

Size: Universal fit

SAF40093 - Utility Clip

- Colours: Blue, Black
- Hi-Vis - Orange & Yellow

SAF40092 - Glove Clip

- Colours: Blue, Black
- Hi-Vis - Orange & Yellow

SAF46025 - Gallet F1 XF

Gallet F1 XF helmet sets the new standard in firefighter head protection with significant innovative enhancements.

- Sophisticated new design to offer best in class protection, comfort and adjustability
- Eye and face protection with unique adjustments for enhanced protection fit and comfort
- Modularity for reduced cost of ownership and increased flexibility
- A modern design that is stylish and integrates functionalities in a way never seen before
- Certification: EN443: 2008

For a full specification datasheet please visit www.safequip.co.uk

SAF46006 - Gallet F2 Extreme

Multi purpose rescue helmet suitable for various rescue applications such as wildland fire-fighting, urban search and rescue, mountain rescue and road traffic collision.

- Ventilated injected high temperature thermoplastic shell
- Patented high comfort ratchet cradle
- Three point chinstrap
- Reflective tape available
- Colours: Red, Blue, White, Yellow, Grey, Black, Orange Fluo
- Certification: EN12492

For a full specification datasheet please visit www.safequip.co.uk

SAF46002 - Manta Multi Role Rescue Helmet

The Manta SAR Helmet is a high performance multi role technical rescue helmet with the facility to fit a variety of accessories. The helmet is tested to seven different standards giving it the unique ability to make it suitable for a very diverse field of task or one helmet to do many roles as below: The helmet in combination with its standards makes it suitable for Working at Height, Water Rescue, Maritime Operations, Boat Driver and Confined Space.

Certifications:

EN14052:2005 High performance safety helmet
PAS 028:2002 Marine safety helmet
FS/1 Quad & ATV helmet
EN1384 Equestrian helmet
EN352-3:1997 Hearing protection
EN166:2002 Industrial eye protection
EN12492 Working at height / Mountaineering

LYA10B - Petzl Vertex Best

Colours: White, Yellow, Red, Orange, Black, Blue

- Chinstrap designed to reduce the risk of the helmet coming off as a result of an impact
- Webbing suspension system guarantees optimal comfort
- Single adjustment wheel can be used with gloves
- Four clips for mounting headlight
- Shell designed for mounting ear defenders
- EN397 and EN12492 for impact protection

LYA10V - Petzl Vertex Vent

Colours: White, Yellow, Red, Orange, Black, Blue

- Chinstrap designed to reduce the risk of the helmet coming off as a result of an impact
- Webbing suspension system guarantees optimal comfort
- Single adjustment wheel can be used with gloves
- Four clips for mounting headlight
- Holes ventilate the helmet with sliding shutters
- Shell designed for mounting ear defenders
- EN12492

LYA10S - Petzl Vertex ST

Colours: White, Red

- Chinstrap designed to breakaway in accordance with EN397
- Webbing suspension system guarantees optimal comfort
- Single adjustment wheel can be used with gloves
- Four clips for mounting headlight
- Shell designed for mounting ear defenders
- EN397

KASK helmets

SAF46032 - Kask Super Plasma PL

Colours - White, Orange, Red, Blue, Yellow, Black
Certification: EN12492

SAF46043 -
Kask Helmet Bag

SAF46033 - Kask Super Plasma PL Hi-Viz

Colours - White, Yellow, Red, Lime, Black
Certification: EN12492

SAF46032 - Kask Super Plasma PL
SAF46033 - Kask Super Plasma PL Hi-Viz
SAF46034 - Kask Plasma AQ

- Outer shell – Polypropylene
- Inner shell - HD polystyrene
- Ventilation - 10 air intakes
- Headband - Soft PA nylon
- Inner Lining - Fully washable
- Lamp Carrying System - External nylon 6.6 lamp clips
- Size Universal - Adjustable 51 - 62 cm
- Weight - 390g
- Adapter for helmet-mount ear defenders is included
- Compatible with Peltor, MSA & Honeywell ear defenders

SAF46034 - Kask Plasma AQ

Colours - White, Yellow, Orange, Red, Green, Lime, British Green, Royal, Blue, Black

Certification: EN397

SAF46036 - Kask HP / High Performance

Colours - White, Yellow, Red

Certification: EN14052

SAF46036 - Kask HP / High Performance

- Outer shell: ABS
- Inner shell: HD Polystyrene
- Ventilation: 10 Air Intakes
- Headband: PA- Nylon Inner Lining: Fully Washable
- Lamp Carrying System: 4 Clips, frontal insert
- Size Universal: Adjustable 51 - 62cms
- Weight: 500g

SAF46042 - Short Visor Clear
SAF46044 - Short Visor Mirror
SAF46045 - Short Visor Smoke

- Polycarbonate construction
- Expanded face surface protection

SAF46046 - Kask Adapter Kit

Adapters for mounting ear defenders

SAF46047 - Long Visor Clear
SAF46048 - Long Visor Smoke
SAF46049 - Long Visor Mirror

- Polycarbonate construction
- Long length visor

The Fire Vulcan LED is one of the most important pieces of equipment that won't weigh you down, and could save your life! It's the lightest and the brightest rechargeable LED lantern in its class. It weighs just 1lb. 13.6 oz. and delivers 80,000 candela peak beam intensity. It's 5 times brighter than competing lights and comes with life saving bright blue tail lights ensure you can be seen from any direction, even in thick smoke.



In a smoke filled room, it's not important that you can see – it's critical that you can see. In addition to the high intensity lamps, the rechargeable Fire Vulcan has two powerful, ultra-bright LED taillights. Your partners can follow through the thickest smoke; and they can find you fast in an emergency. The toggle switch makes it easy to go between strobe and steady modes, so you can use it to increase visibility at a fire or accident scene or signal for help.

STR44453 - Fire Vulcan LED (Standard System)
STR44451 - Fire Vulcan LED (Vehicle Mount)

- C4® LED, 50,000 hr. lifetime
- Two ultra-bright blue LEDs
- Strobe and steady modes
- Up to 80,000 candela
- Run times are up to 3hrs with steady high LED & tail lights; up to 7hrs steady low LED & tail lights
- Lithium ion cells - Recharges in 5hrs
- 8 programmable functions
- Easy to operate toggle switch
- IPX7 rated design - waterproof to 1 metre for 90 mins
- Quick release strap
- Dimensions: 19.05 x 12.7 x 16.51cm
- Weight: 1.85lbs

ATEX Models

STR44652 - Fire Vulcan LED ATEX (Standard System)
STR44651 - Fire Vulcan LED ATEX (Vehicle Mount)

The Streamlight LiteBox range has the intensity and peripheral illumination to light an entire scene. 90 degrees swivel neck design makes it ideal for field maintenance, inspection of incidents or sites and whilst conducting searches. It's heavy duty, rechargeable and a completely portable high-intensity searchlight that does it all.

STR45603 - HID Litebox Orange
STR45623 - HID Litebox Black

- 35 watt xenon lamp 3,350 lumens, 1,000,000 candela
- Run times: HID lamp: up to 1.75 hrs, LEDs 100 hrs +
- 12V, 7 amp-hour sealed lead acid battery
- Rechargeable up to 500 times
- Supplied with shoulder strap and flood lens
- High Impact ABC thermoplastic housing
- Length 14.9" / Width 5.1" / Height 8.8" / Weight 10.1 lbs
- Colours: Safety Orange or Black

STR45853 - Streamlight E-Spot (Standard System)
STR45855 - Streamlight E-Spot (Vehicle Mount)

Three C4® LEDs spotlight an area with focused bright light so you can search or make an inspection from a distance. Its swivel head makes the portable / rechargeable E-Spot great for inspecting places like high bays and ceilings. The E-Spot is also IPX4 rated for water resistance.

STR45663 - Streamlight E-Flood Litebox HL

The superbright 3,600 lumen lantern really floods an area with light. The intense brightness stretches out from side to side to illuminate the scene. Choose from 3 different levels of lighting. Unique diffuser lets you select from 2 flood levels in all 3 modes for outdoor or indoor use. Ideal for illuminating a rescue scene or an entire plant floor. The E-Flood Litebox HL runs 8 hours at 1200 lumens, 4 hours at 2400 lumens and 2 hours at 3600 lumens. IPX4 rated.

C4 LED®

	HIGH	LOW
	540 LUMENS	330 LUMENS
	7h	15h
	469m	358m
	55,000cd	32,000cd

Product is tested per ANSI/NEMA FL-1 2009 standard

FL1 STANDARD	HIGH	MEDIUM	LOW
	3,600 LUMENS	2,400 LUMENS	1,200 LUMENS
	2h	4h	8h
	352m	283m	210m
	31,000cd	20,000cd	11,000cd

When your hands are busy, you'll really appreciate this right angle light and its super bright LED. With 36,000 candela peak beam intensity on high mode, its one of the brightest LED flashlights in the world. It won't break or burn out, and you'll never have to change the bulb. And you'll always have the power you need, since it runs on either the rechargeable nickel-cadmium battery or 4"AA" alkaline batteries.

STR90555 - Survivor LED Atex (Battery Version)

- C4® powered LED, with 50,000 hour lifetime
- Lamp and battery housings with battery base made of high impact, super-tough nylon for exceptional durability
- LED Rating: 100 lumens.
- Deep dish parabolic reflector produces narrow beam with 500ft range; ideal for smoke cutting applications.
- Run Times: up to 3.5 hrs on high beam up to 10 hrs on low beam
- All openings are O-ring sealed for water resistance
- Rechargeable ni-cad 4.8V, 1.8 amp-hour, 4 cell sub-C battery pack or (4) 'AA' battery pack
- 3 Modes: high, low or strobe functions
- Fits existing Survivor chargers
- Height: 7.06" / Width: 2.85" / Depth: 2.87" / Weight: 17.9oz
- Certification: II iG Ex ia IIB T4

STR90549 - Survivor LED Atex (Rechargeable Version)

Complete with 12v and 240v chargers

STREAMLIGHT
Heroes Trust Streamlight®

This rechargeable work light, the most versatile light you'll ever own, makes it easy to illuminate anything, anywhere. The Knucklehead has a 360 degree rotating head, four lighting modes, a powerful magnet, and a stowable hook so you can hang it under any scaffolding, rails or almost anywhere for hands free lighting. Features the latest C4® power and LED technology.

STR90642 - Knucklehead LED Yellow alkaline model
STR90641 - Knucklehead LED Black alkaline model
STR90626 - Knucklehead LED Yellow 12V DC
STR90606 - Knucklehead LED Black 12V DC

- Dual C4® LED technology, with a 50,000 hour life time
- Unbreakable polycarbonate lens with silicone anti-scratch coating
- Industrial rechargeable nickel-cadmium battery can be charged up to 1,000 times. Optional four "AA" alkaline non rechargeable battery pack provides fast replacement with readily available batteries.
- Sonic welded push button switch designed for extremely long life.
- A rubber dome push button actuator provides easy operation even when wearing gloves
- Full 360 degree rotating head
- IPX4 rated for water resistant operation
- Removable magnet with 135lb pull strength and integrated hook

FL1 STANDARD	HIGH	LOW
	200 LUMENS	63 LUMENS
	3h 30min	16h
	68m	37m
	1150cd	350cd

STR90338 -
Rechargable Battery

STR90542 -
Alkaline Battery Holder

STR90401 -
5 Bank Charger

STR90010 -
Charger Holder

The Siege® isn't just another lightweight lantern - It's a super bright lantern with 340 lumens, bright enough to light up a whole campsite and it runs for over 30 hours on high. You can even hang it upright or inverted or use it to signal for help. It's waterproof to 1 metre, brighter more durable and much more versatile than other emergency lanterns, yet it is compact enough to pack in a small ruck sack.

STR44931 - Streamlight Siege LED Lantern

Light Source: Four white C4® LED's impervious to shock with 50,000 hours lifetime, and one red C4® LED.

Lens: Unbreakable polycarbonate lenses

Battery: Three D size alkaline batteries

ON/OFF: White Output Modes = High, Medium, Low, and Off.

Red Output Modes = High, Flash SOS and Off. To change the lights beam colour from white to red, or red to white, press and hold the on/off button for two seconds until the light changes colour.

Switching Output Modes: Pushing the button within 1.5 seconds of the last button push will change the light mode.

Features: Battery indicator in the on/off button - Changes from Green to Yellow to Red and then flashing Red when the batteries are at the end of their useable life. IPX7 rated for waterproof operation to 1 metre submersion. Spring loaded to fold out of the way when not in use. Ergonmic handle makes the light easy to carry and is designed to hook on any bar.

White C4 LEDs	High	Medium	Low
Lumens:	340	175	33
Run Time:	30h	70h	295h

Red C4 LEDs	High	Flash/SOS Mode
Lumens:	10	10
Run Time:	235h	430h

Size: 3.8" x 7.25" (9.65 x 18.41cm)
Weight: 878 grams
Colour: Coyote



Streamlight's innovative Sidewinder® is the most versatile light in the world. With four LEDs, each with four levels of intensity and strobe, the sidewinder is like 20 lights in one. The white LED uses C4 technology for intense brightness. One sidewinder can illuminate an entire room and has a unique design 185 degree tilting head which makes it easy to operate in even the toughest conditions. A clip is included for hands free lighting and the head can be aimed in any direction.

Sports Model

Infra-red Option Available

STR14002 - Sidewinder® Sports Model

- Unbreakable polycarbonate lens with scratch resistant coating
- White, Red, Green, Blue LEDs
- Output: See diagram
- Operates on 2 "AA" batteries
- Rotary knob for flashlight functions
- IPX7 rated design
- Waterproof to 1 metre for 30 minutes
- Durable belt clip
- Dimensions: 5.94 x 2.74 x 11.81cm



STREAMLIGHT

STR14512 - White, Red, Blue, IR LED's with helmet mount

The Streamlight Compact® II is a verstaile lighting tool that can fit in the palm of your hand, clip onto a vest, helmet strap, hat brim or pocket. With a versatile power source it can use a single CR123 lithium, "AA" Alkaline or "AA" Lithium Alkaline Battery. The entire body rotates 185° allowing it to be aimed in any direction, even sideways or backward for signalling and lighting with no restrictions. Features a white C4® LED that projects a brilliant white light for task lighting and navigating and coloured LED's for versatility and your specific tasks. It is also IPX7 rated for waterproof operation to 1 metre for 30 mins.

C4 LED

FL1 STANDARD	C4 LED w/ CR123 HIGH	C4 LED w/ AA LITHIUM HIGH	C4 LED w/ AA ALKALINE HIGH
	55 LUMENS	47 LUMENS	47 LUMENS
	6h	6h	2h
	69 m	63 m	63 m
	1175 cd	1000 cd	1000 cd

Streamlight's all new Portable Scene light can be rapidly deployed and easily stowed. The Scene Light brings 3,600 lumens to your work area. With its narrow footprint and 72" extension pole, this light goes almost anywhere, from wide open places to tight, confined spaces.

STR45672 - Streamlight Portable Scene Light

- Six C4® LED and wide reflectors produce a uniform flood pattern
- Three user-selectable outputs: High for a super-bright flood beam; 3,600 lumens, 31,000 candela, runs 5 hours
- Medium for an intense beam and longer run time; 2,400 lumens, 20,000 candela, runs 9 hours
- Low for when a less intense beam is ideal and for longer run times; 1,100 lumens, 11,000 candela, runs 18 hours
- Selectable diffuser settings for two beam widths
- Optimum peripheral illumination for scene lighting; 90° swivel neck allows you to aim the beam where you need it for task lighting
- Sealed lead acid batteries, rechargeable up to 500 times
- Batteries will continue to charge while operating directly from an external 12V DC power source when using the remote cord so you can be confident that you will always have a light when you need it
- Indefinite run time when using 12V DC power cord
- Integral D-rings allow attachment of the included shoulder strap
- Design allows for the light to be used in confined spaces and rugged terrain
- Balanced design and easy setup: Less than 30 seconds for full deployment
- Pole extends to 72"
- Cord built into the pole to avoid snags
- Stabilisation legs provide balance on uneven surfaces
- Lead acid batteries provide ballast and stability
- 25 lbs (11.3 kg) provides weight stabilisation, but is light enough to carry
- Packs to a compact size (22"; 55.88cm) for easy stowage
- High-impact thermoplastic housing; weatherproof construction
- Available in Safety Yellow with AC and DC charge cords and shoulder strap
- Assembled in the USA

FL1 STANDARD	HIGH	MEDIUM	LOW
	3,600 LUMENS	2,400 LUMENS	1,100 LUMENS
	5h	9h	18 h
	352m	283m	210m
	31,000cd	20,000cd	11,000 cd

Selectable diffuser settings for two beam widths: Works with all three Modes

The Waypoint is the perfect lantern whether you're on the water searching , on the mountains or inspecting dark corners in an industrial facility. It has a powerful, long reaching beam that illuminates a range of up to 678 meters - more than 7 football fields! Its pistol grip design, cushioned handle and weight balanced design virtually eliminate user hand fatigue.



C4 LED®

STR44900 - Waypoint Yellow 12V DC
STR44902 - Waypoint Black 12V DC

- C4 LED technology with a 50,000 hour life time
- Unbreakable polycarbonate lens, O-ring sealed
- High output, Low output or Emergency Signal mode. Deep dish parabolic reflector produces a long range targeting beam
- Four "C" sized alkaline batteries. (Not included)
- Trigger style switch
- IPX4 rated for water resistant operation
- Integrated stand for hands free lighting
- Operation using battery or 12v DC power cord
- Removable lanyard



The 300 lumen rechargeable light has a broader beam than the battery operated version above. This Lithium Ion version is also waterproof and will float if dropped in the water for easy retrieval. Ideal for use on boats and bankside searches.

Red Filter preserves night vision.

Green Filter reduces shadows.

STR44910 - Waypoint Rechargeable Yellow
STR44911 - Waypoint Rechargeable Black

The Streamlight Propolymer and Propolymax range offers a super tough housing which means you can take these lightweight, alkaline battery powered lights almost everywhere, and they'll stand up to all kinds of punishment.



STR68720 - 3AA Propolymer Yellow
STR68721 - 3AA Propolymer Black
STR68722 - 3AA Propolymer Orange

- Powered by 3 'AA' batteries
- C4® LED
- Push button tail switch
- IP67 rated for dust
- IPX4 rated for waterspray
- IPX7 Waterproof to 1 metre for 30 minutes
- Dimensions: 17.78 x 2.67 x 3.81cm
- Run Time: 6h 30m



STR68820 - 4AA Propolymax Yellow
STR68821 - 4AA Propolymax Black
STR68822 - 4AA Propolymax Orange

- Powered by 4 'AA' batteries
- C4® LED
- 300 Lumens on High
- Multi function tactical tail switch
- TEN-TAP programmable switch
- 3 Programmes - High / Low / Strobe
- IP67 rated for dust
- IPX4 rated for waterspray
- IPX7 Waterproof to 1 metre for 30 minutes
- Dimensions: 17.78 x 2.67 x 3.81cm
- Run Time: High 2h 45m, Low 24h

STR67555 - 2AA Propolymer LED

- Powered by 2 'AA' batteries
- 1.5W high flux LED
- 20 Lumens output
- Runs up to 20 hrs
- IP65 Rated for dust
- IPX7 Waterproof rated
- Dimensions: 16 x 3.3 x 2.26cm
- Certification: II 2G Ex e ib IIB T5

STR68504 - 4AA Propolymer LED

- Powered by 4 'AA' batteries
- 7 Ultrabright 100,000 hrs LEDs
- 67 Lumens Output
- Runs up to 155 hrs
- IP65 Rated for dust
- IPX7 Waterproof rated
- Weight 6.3oz
- Dimensions: 16.51 x 4.14 x 3.4cm
- Certification: II 2G EEx ib e IIB T4

STR62504 - 3N Propolymer

- Powered by 3 'N' batteries
- 3 Ultra-bright white LEDs
- 30 Lumens Output
- Runs up to 120 hrs
- IP65 Rated for dust
- IPX7 Waterproof rated
- Dimensions: 13.33 x 2.44 x 1.75cm
- Certification: II 1G EEx ia IIC T4

STR68130 - 4AA Gallet Helmet Bracket
STR68086 - 3AA / 4AA Helmet Bracket

- Can be mounted on the Gallet F1 Fire Helmet or F2 Extreme via the MSA rail system
- Manufactured from aircraft grade aluminium

	HIGH	LOW
	125 LUMENS	30 LUMENS
	3h 30min (LITHIUM POLYMER) 6h (ALKALINE)	10h (LITHIUM POLYMER) 18h (ALKALINE)
SPOT DISTANCE	82m	40m
SPOT INTENSITY	1,700cd	400cd
FLOOD DISTANCE	31m	4m
FLOOD INTENSITY	250cd	70cd

STR61600 - Double Clutch with USB Cord Yellow
STR61601 - Double Clutch with USB Cord Black
STR61605 - Double Clutch with USB Cord and 240v - Yellow
STR61606 - Double Clutch with USB Cord and 240v - Black

- Spot and flood beams - both with high & low modes
- Twist facecap to power on and change from spot to flood
- Double twist to change from high to low beam
- Lithium polymer battery charges via USB connector
- Durable impact resistant polymer construction
- IPX4 water resistant
- Rubber helmet strap included

	180 LUMENS	95 LUMENS	45 LUMENS
	2h	3h 45min	7h 15min
	261m	190m	134m
	17,000cd	9000cd	4500cd

STR75712 - Stinger LED 12V DC
STR75812 - Stinger DS LED 12V DC

The original stinger set the standard for duty lights. Now the Stinger LED raises that standard to a whole new level. It has multiple lighting options, including a strobe and a super bright, white hot, long range beam with a wider circle of light that increases your peripheral vision. The LED won't break or burn out. The Stinger LED delivers the lowest operating cost of any flashlight in its class. The DS version has a full feature tailcap switch in addition to the head mounted push button cap.

	200 LUMENS	100 LUMENS	50 LUMENS
	2h	3h 45min	7h 15min
	438m	309m	209m
	48,000cd	24,000cd	11,000cd

STR75762 - Stinger HP LED
STR75812 - Stinger DS HP LED

- C4® LED technology with a 500,000 hour lifetime
- Unbreakable polycarbonated Lens with scratch resistant coating
- 3-cell, 3.6 volt nickel-cadium sub c battery is rechargeable up to 1000 times
- Multi function, easy access, push button tail switch - DS version has added push button tactical tailswitch
- IPX4 rated for water resistant operation
- Serialised for positive identification
- Compact snap in charger mounts in any position
- Optimised electronics provide regulated intensity

Safety Wands

Leather Holsters & Loop Ring

Battery Sticks

Coloured Lenses

Charging Units

The SL family of rechargeable personal lights has the power and the durability you need for almost any job. Choose from a variety of features, including Streamlight's patented dual incandescent LED. No matter which SL light you choose, you get great features including an unbreakable polycarbonate lens with scratch resistant coating, individual serialisation for easy identification and a nickel-cadmium battery that is rechargeable up to 1000 times.

STR20602 - SL-20L LED 12V DC

- C4 LED technology, with a 50,000 hour lifetime
- Unbreakable polycarbonate lens with scratch resistant coating
- Streamlight rechargeable battery system
- Multi-function, push barrel on/off switch
- IPX4 rated design for water resistant operation
- Dimensions: 33.3 x 6.35 x 3.81cm

STR25102 - SL-20XP LED 12V DC

- 8 watt, LED bulb with three high intensity white LED's
- 145 Lumens, 316M beam distance
- Unbreakable polycarbonate lens with scratch resistant coating
- Streamlight rechargeable battery system
- Multi-function, push barrel on/off switch
- IPX4 rated design for water resistant operation
- Dimensions: 33.3 x 6.35 x 3.81cm

STR20202 - SL-20X LED 12V DC

- 10 watt halogen bulb with three high intensity white LED's
- Unbreakable polycarbonate lens with scratch resistant coating
- Streamlight rechargeable battery system
- Multi-function, push barrel on/off switch
- IPX4 rated design for water resistant operation
- Dimensions: 33.3 x 6.35 x 3.81cm

Safety Wands

Charge Sleeve

Bank Charger

Delux Holster

NiCd Battery Stick

STR88830 - Polytac 90 LED

- C4 LED technology
- Tempered glass lens, gasket sealed
- Two 3 volt “CR123A” lithium batteries
- IPX7 rated for water resistant operation
- Versatile hanging clip
- Dimensions: 13.3 x 3.2 x 2.5cm



STR88850 - Polytac LED

- C4 LED technology
- Glass lens; O-ring sealed
- Two 3 volt “CR123A” lithium batteries
- Push button one handed tail switch

STR51072 - Multi Ops

- White C4 LED technology
- Output: See chart
- 3 x “AAA” batteries
- Push button tactical tail switch
- Run Time: C4 LED: 4.75hrs, UV: 10hrs, Laser 40hrs
- Micro faceted reflector for smooth focus
- Dimensions: 13.7 x 4 x 3cm

STR51056 - Night Com

- White C4 LED technology
- Output: C4 LED 105 lumens
- 2 x “CR123A” lithium batteries
- Tail switch: on/off and signal modes
- High strength wrist lanyard
- Dimensions: 13.8 x 3.4 x 2.5cm

STR51046 - Night Com UV

- C4 LED technology
- Unbreakable polycarbonate lens
- Output: See chart
- 2 x CR123A” lithium batteries
- High / Low / UV modes
- IPX4 rated for water resistant operation
- Dimensions: 13.7 x 3.4 x 2.5cm

STR51043 - Twin Task 3AA Laser LED

- C4 LED technology with 5 ultra bright LEDs
- Unbreakable polycarbonate lens
- 100 lumens output on C4 LED - Run Time - 2hr45min
- 68 Lumens on 5 ultra bright LEDs - Run Time 5hr 15min
- Laser usable range of 70 metres
- IPX4 rated for water operation
- Dimensions: 13.7 x 4 x 3cm

STR51038 - Twin Task 3AA LED

- C4 LED technology
- Unbreakable polycarbonate lens
- 3 x “AA” batteries
- Push button sequences through C4LED and three ultra bright LEDs
- IPX4 rated for water operation
- Dimensions: 21.7 x 3.4 x 2cm

STR51039 - Twin Task 3C LED

- C4 LED technology
- Unbreakable polycarbonate lens
- Output: See chart
- 3 x “C” Cell batteries (not included)
- IPX4 for water operation
- Push button sequence for all modes
- Dimensions: 23 x 4.3 x 3.2cm

	WHITE LOW	WHITE HIGH	RED LOW	RED HIGH
	10 LUMENS	70 LUMENS	.2 LUMENS	.5 LUMENS
	24h	3h 30m	65h	16h
	14m	44m	3m	6m
	50cd	500cd	3cd	9cd

STR61125 - Clipmate USB Rechargeable

- Flexible extension cable allows you to aim the light where you need it
- Unbreakable pocket clip grabs onto pocket, belt, MOLLE etc
- USB cover is tethered to prevent loss
- IPX4 water-resistant
- 1 metre impact resistance tested
- Weight: 1.9 oz
- Dimensions: 8.1 x 3.5 x 1.8cm

	C4 WHITE LED
	70 LUMENS
	3h 30min
	50 m
	630cd

STR66133 - Stylus PRO USB Rechargeable

- Anodised aluminium construction
- Lithium ion battery rechargeable up to 300 times
- Removable pocket clip
- O ring sealed, sliding cover protects the micro USB charging port
- IPX4 water-resistant; 1 metre impact resistance tested

	LOW	MEDIUM	HIGH
	3.6 LUMENS	10 LUMENS	50 LUMENS
	36h	14h	1.5h
	20m	36m	76m
	120cd	340cd	1450cd

STR88034 - Protac EMS

- Multifunction, push-button tailswitch
- One handed operation
- 3 Modes - High, Medium, Low
- Starts in low for pupil examination
- IPX7 rated - 1M for 30 minutes
- Anti roll facecap
- Dimensions: 10 x 2.3 x 1.6 cm
- Colour EMS Blue

STR66118 - Stylus Pro

- Powered by 2 ‘AAA’ battery
- 0.5 watt high flux LED
- Push button tail switch
- 24 lumens output
- 7.5hrs regulated run time
- Machined aluminium construction
- Pocket clip for easy access

STR65082 - Stylus Atex

- High intensity LED lasts 100,000 hrs
- 10 lumens output
- Powered by 3 ‘AAAA’ batteries
- 60hrs runtime
- Pocket clip for easy access
- Certification: II 1G EEx ia IIC T1

STR65682 - Stylus Reach Atex

- Includes 7” flexible extension cable that allows for 14” of ‘reach’
- High intensity LED lasts 100,000hrs
- 10 lumens output
- Powered by 3 ‘AAAA’ batteries
- 60hrs runtime
- Pocket clip for easy access
- Certification: II 1G EEx ia IIC T1

Streamlight headlamps free you to use both hands whether you're climbing, taking aim, or working on hard to see equipment. Streamlight offer a variety of powerful, ultra-compact, comfortable, durable headlamps that can be worn on the head, around a cap or on a hat.

STR61250 - Haz-Lo

- Powered by 3 'AA' batteries
- 1 Watt super high flux LED
- 34 lumens output
- Impact resistant housing
- Rubber helmet strap included
- 11hrs run time
- Certification: II 1G EEx IIC 115C (T4)

120 LUMENS	
11h	
165m	
6800cd	

YELLOW BODY

80 LUMENS	35 LUMENS	11 LUMENS	
5h	10h	53h	
126m	39m	22m	
4000cd	385cd	120cd	

STR61050 - Trident

- Powered by 3 'AAA' batteries
- Includes 3 LEDs and 1 x C4® LED
- 3-position lighting: 1) C4® LED 2) 1 x LED; 3) 3 x LEDs
- Output up to 80 lumens
- Rubber helmet strap included
- Runs up to 53hrs

STR61411 - Enduro

- Powered by 2 'AAA' batteries
- 0.5 high flux LED
- Up to 14.5 lumens output
- 6hrs runtime on high; 24 on low
- Rubber helmet strap included

STR61052 - Septor

- Powered by 3 'AAA' batteries
- Seven 100,000 hrs LEDs
- Output up to 50 Lumens
- Runs up to 150hrs
- Rubber helmet strap included

120 LUMENS	45 LUMENS	13 LUMENS	
3.5h	10h	55h	
60m	35m	20m	
900cd	375cd	100cd	

LYE78AHB - Pixa 1

- Headtorch with wide beam
- Ideal for close up work
- Lights to 15 metres
- Run time: 12hrs
- Lumens: 25
- IP67 Rated
- Atex approved: Zone 2

LYE78BHB - Pixa 2

- Headtorch with mix beam for close range work and movement
- Close range mode: lights to 20 metres
- In-motion mode: lights to 30 metres
- IP67 Rated
- Atex approved: Zone 2

LYE78CHB - Pixa 3

- Multi beam headtorch
- Close range mode: lights to 15 metres
- In-motion mode: lights to 30 metres
- Long range mode: lights to 55 metres
- IP67 Rated
- Atex approved Zone 2

LYE78901 - Mounting Plate

LYE78002 - Rubber Headband

LYE89BHB N - Petzl Tactikka +RGB

- Headlamp keeps the hands free
- CONSTANT LIGHTING: brightness does not decrease gradually as the batteries are drained
- Several modes and lighting colors adapt to each situation:
- A mode adapted for close range vision: mixed beam with wide, uniform flood
- A mode adapted for movement: mixed beam with focused component allows user to move around comfortably
- Boost mode for temporary access to maximum power
- Red, Green and Blue lighting for close range vision while remaining discreet and preserving night vision
- Strobe mode for signalling one's presence, accessible at any time
- Burn time management allows user to easily anticipate battery replacement: Automatically switches to reserve mode when batteries are almost drained (signalled by blinking light)
- Red lighting switches on when batteries are practically empty to preserve maximum visibility

Easy to use:

- Selection of lighting modes from most discreet to most powerful
- Push-button is easy to use, even with gloves on
- Headband adjusts easily with buckle, for easy donning
- Washable headband
- Battery case opens easily for changing batteries

LYC71AAA - Avao Bod

Certification: EN361, EN358, EN813

LYC71AFA - Avao Bod Fast

Certification: EN361, EN358, EN813

SAF60005 - Edelrid Flex Harness

Certification: EN361

- Fall Arrest, Work Positioning and Sit Harness
- Extreme comfort with double padded leg loops
- Extra wide waist support for long hanging times
- Quick and easy donning thanks to the jacket system
- Available in Orange/Black or Black
- Sizes 1 & 2

Avao Range - Product Specifications

- Designed for comfort in any situation
- X-shaped dorsal construction wraps to reduce pressure points during prolonged suspension
- Semi-rigid, wide waistbelt and leg loops for excellent positioning; sculpted and lined with breathable perforated foam for comfort during suspension
- Foam shoulder straps are widely spaced to reduce neck chafing; when the waistbelt is loaded they help distribute this load over the shoulders
- Waistbelt and shoulder straps equipped with self-locking DoubleBack buckles for quick and easy adjustment
- Leg loops equipped with self-locking DoubleBack buckles for quick and easy adjustment
- Fold-away side attachment points prevent accidental snagging
- Facilitates carrying and organisation of tools
- Six pre-shaped equipment loops with protective sheath
- Four CARITOOL tool holder retainers
- Two slots for TOOLBAG tool pouch
- Less traumatising post-fall position:
- In case of a fall on the dorsal attachment point, the load is distributed over the leg loops, allowing the user to remain suspended longer while awaiting rescue

LYC81AAA - Top Chest Harness

Sternal attachment point
For use with Avao Sit & Sit Fast

Certification: EN361
(with sit harness)

LYC79AAA - Avao Sit

Certification: EN358, EN813

LYC79AFA - Avao Sit Fast

Certification: EN358, EN813

LYL59MGO - Absorbica Y Lanyard

- Designed for passing intermediate anchor points on fixed protection
- The energy of the fall is absorbed by the tearing of specific webbing
- Mesh pouch with zipper protects the energy absorber from abrasion or projections and allows regular verification of the absorber's condition
- Supplied with 2 MGO hooks
- Conforms to EN355, EN362
- Sizes: 105cm

LYLEATMGO - Twin Lanyard

- Twin absorbing lanyard
- 11mm Kemantal rope
- Supplied with 2 MGO hooks
- Conforms to EN355, EN362
- Sizes: 1.1M, 1.4M, 1.6M

1016849 - Miller Kermantal Lanyard
1016850 - Miller Kermantal Double Lanyard

- Shock absorbing Kermantal Lanyard
- 11mm Kermantal rope
- Supplied with scaffold hook
- Edge protection to prevent the risk of failure on an edge.
- Conforms to EN355
- Sizes: 1.5M, 2.0M

1005324 - Miller Single Manyard c/w Scaffold Hook
1013970 - Miller Double Manyard c/w Scaffold Hook

- A unique stretchable design for greater manoeuvrability and safety
- When contracted, it greatly reduces the risk of tripping, snagging and dragging
- Reliable visual inspection
- Improved durability
- Heavy duty tubular outer jacket acts as a protective sleeve
- Special woven shock absorbing inner core
- Unique warning flag provides visual proof that a lanyard has been involved in a fall
- The integral red core becomes visible if the outer jacket is damaged or worn and unfit for service
- Supplied with a pull away connection clip which is attached to the harness to hold the Manyard when not in use
- Conforms to EN355
- Sizes: 1.5M, 2.0M

1014937 - Miller Positioning & Restraint Lanyard

- Restraint lanyard with locking rope grab and twistlock karabiner attached
- Sewn termination
- 11mm Kermantal Rope
- Conforms to EN354, EN358
- Sizes: 1.8M

LYL52A - Petzl Grillon Lanyard

- Lanyard with fine adjustment for precise work positioning
- Removable protective sheath protects the rope from abrasive contact
- Conforms to EN358
- Sizes: 2M, 3M, 4M, 5M

1011729 - Miller Falcon Block

The safest, most robust and comprehensive range of lifelines on the market

- Smooth round edges increase durability
- Stops the fall within a few centimeters
- Lightweight, robust composite unit
- Easy to install
- Tested and approved for horizontal applications
- No annual factory recertification required
- High visibility fall indicator
- High impact resistant nylon housing
- Conforms to EN:360
- Sizes: 6.2M to 20M options available

1018013 - Miller Turbolite Block

- Self Retracting Webbing Lifeline
- Compact & lightweight
- Low space clearance of 1.8M compared to 2.50M for a shock absorbing lanyard
- Adapted to all situations when working in low space clearance
- Built in web fall indicator
- Provides 2M working capacity lifeline
- Built in swivel prevents lifeline from twisting
- Conforms to EN360
- Sizes: 2.0M

SAF64100 - Edelrid Safety Super II

- 10.5mm or 11mm Low stretch rope
- Extremely abrasion resistant
- Dirt resistant
- 10.5mm - White, Black, Dark Green
- 11mm - White, Red, Turquoise
- EN1891 Type A

LYLSL25 - 25mm Nylon Slings

Certified: EN566, EN795 type B
Breaking Load

LSL25-020	20cm Nylon Sling
LSL25-030	30cm Nylon Sling
LSL25-050	50cm Nylon Sling
LSL25-060	60cm Nylon Sling
LSL25-080	80cm Nylon Sling
LSL25-100	100cm Nylon Sling
LSL25-120	120cm Nylon Sling
LSL25-150	150cm Nylon Sling
LSL25-175	175cm Nylon Sling
LSL25-200	200cm Nylon Sling
LSL25-240	240cm Nylon Sling
LSL25-480	480cm Nylon Sling

LYLO7 - Anchor Steel Strop

7mm Galvanised steel Anchor Strop
Sizes: 0.5M, 0.75M, 1M, 1.5M, 2M, 3M

EDELRID

SAF61052 - Powerlock Accessory Cord

Edelrid accessory cords are particularly abrasion resistant. The special sheath construction results in better knot ability.

4mm Cord: Aqua-Oasis, Night-fire
5mm Cord: Aqua-Flame, Oasis-Flame
6mm Cord: Night-Sahara, Aqua-Flame
7mm Cord: Flame, Aqua-Blue
8mm Cord: Oasis-Flame, Cheyenne-Blue, Night

LYP63 - Rigging Plate

- Petzl Rigging Plate
- Sizes: S, M, L
- 36kN breaking load
- CE NFPA 1983

SAF61053 - DMM A372 Aero

- Alloy screwgate
- Weight 59g
- BL: 25kN
- Gate Opening: 17mm
- EN362

A303 - DMM Shadow Quicklock

- Small Off D shape
- Weight 56g
- BL: 24kN
- Gate Opening: 17mm
- EN362

SAF61037 - HMS Strike Screw

- Alloy screwgate
- Weight: 65g
- Dimensions: 100 x 70mm
- BL: 22kN
- Gate Opening: 21mm
- EN362 / 12275

SAF61038 - HMS Magnum Twist

- Alloy twistlock
- Weight: 88g
- Dimensions: 115 x 78mm
- BL: 25kN
- Gate Opening: 24mm
- EN362 / 12275

SAF61018 - Steel Oval Screw

- Foin Oval Screwgate
- Dimensions: 105 x 57mm
- BL: 22kN
- Gate Opening: 17mm
- EN362

SAF61046 - Pure Screw

- Alloy screwgate
- Weight: 43g
- Dimensions: 100 x 58mm
- BL: 23kN
- Gate Opening: 17mm
- EN362 / 12275

SAF61047 - HMS Magnum Screw

- Alloy screwgate
- Weight: 84g
- Dimensions: 115 x 78mm
- BL: 25kN
- Gate Opening: 24mm
- EN362 / 12275

SAF61019 - Steel Oval Twistlock

- Foin Oval Twistlock
- Dimensions: 105 x 57mm
- BL: 25kN
- Gate Opening: 16mm
- EN362

LYB03 - Petzl Shunt

- Petzl ascender
- Fits rope 10-11mm
- EN567

LYB16BAA - Petzl Croll

- Petzl ascender
- Fits rope 8-13mm
- EN12841 EN567

LYB17WRA - Petzl Ascender Right
LYB17WLA - Petzl Ascender Left

- Fits rope 8 - 13mm
- EN12841 EN567

LYP21 - Petzl Tandem Pulley

- Petzl twin pulley
- 24kN breaking load
- Weight - 195g
- EN12278

LYP50A - Petzl Rescue

- Petzl single pulley
- 36kN breaking load
- Weight 185g
- EN12278

LYP65A - Petzl Twin

- Petzl twin pulley
- 36kN breaking load
- Weight 450g
- EN12278

LYP60A - Petzl Minder Pulley

- Petzl prusik minding pulley
- 36kN breaking load
- EN12278

LYP59A - Petzl Mini

- Petzl prusik minding pulley
- 23kN breaking load
- EN12278

LYP67 - Petzl Kootenay

- Knot passing pulley
- 40kN breaking load
- EN12278

LYB53 - Petzl Micrograb

- Rope grab
- Fits rope 9-13mm
- EN567

LYB50 - Petzl Resucender

- Cam loaded rope clamp
- Fits rope 9-13mm
- EN567

LYB54 - Petzl Microcender

- Cam loaded rope clamp
- Fits rope 9-13mm
- EN567

LYP51 - Petzl Pro Traxion

- Can be used as a progress capture or simple pulley
- Easy to manipulate
- 22kN breaking load
- EN12278, EN567

LYD200SO - Petzl ID

- Petzl descender
- Fits rope 10-11.5mm
- EN341 Class A
- EN12841 type C

LYD21A - Petzl Rig

- Petzl descender
- Fits rope 10.5 - 11.5mm
- EN341 Class A
- EN12841 type C

SAF60000 - Rescue Tripod

The RT3 has 6 anchor points tested to EN795. The 3 overhead pulleys hold up to 11mm rope. The extra anchor points allow a rescuer to double rope and may be used with pulleys for airlines, communication lines, medical kits, tool kits etc. Mechanical Prusik and automatic belay devices may be attached to the eyebolts.

This Tripod has detachable legs for portability and storage. Due to the height of the Tripod a casualty on a stretcher raised vertically may be lifted clear of the entrance and then lowered to the ground.

- Leg Span: 130cm - 200cm
- Height: 200cm-260cm
- Collapsed Height: 215cm
- Weight: 16Kg
- SWL: 250Kg (Material/Personnel)

Width: 92cm Length / 230cm
Rolled Diameter: 26 x 33cm
Weight: 1.4Kg / Safe Working Load: 300Kg

SAF61030 - Rigid Basket Stretcher
SAF61051 - T131 Lifting Harness

- Immobilising stretcher holds casualty in place during evacuation
- High density polythene shell
- Stainless steel outer frame
- Four restraint straps
- Moulded runners
- 14KG in weight
- Max load: 547KG

SAF60004 - Slix 100 Rescue Stretcher

A robust, compact and lightweight stretcher. The flexible material combined with a smooth finish allows easy sliding and permits the stretcher to be rolled width ways or lengthways to facilitate transport. Strong handles around the stretcher allow easy manoeuvrability. The stretcher may be hauled vertically or horizontally. The lifting strops secure and allow the stretcher to mould around the casualty. The Slix100 is designed to be used with the Rescue Tripod for confined space rescue.

PETROGEN

oxy-petrol cutting systems

SAF69000 - Petrogen Heavy Rescue System

This unique system provides extremely safe to use economical cutting power.

The Petrogen system makes cuts that are impossible with any other torch, incredibly fast and clean with less airborne contaminants. Petrogen makes smooth cuts through thin and thick steel up to 14 inches. The powerful flame cuts through layers and across air gaps, through rust, paint, even concrete backed steel without popping.

SAF69001 - Petrogen PCS Unit

A back pack version of the standard and heavy rescue systems.

All the same safety features of the standard systems are built into the PCS system. The PCS will cut 1/4” steel for 25 minutes, 1” steel for 13 minutes and 4” steel for 5 minutes. It is ideal for short term steel cutting where portability is vital. The unit is self contained with both oxygen and fuel cylinders.

SW07 - Petrogen Trolley

The Petrogen trolley is manufactured in a steel construction and is designed to hold both the Petrogen tank and oxygen cylinder safely. This allows the system to be portable around a site thanks to the rugged wheels.

Reflexcell™ is a super-lightweight material that provides unprecedented thermal performance in the most demanding conditions. Now, following exhaustive in-house testing and trials performed by the US Army Institute of Surgical Research, the Blizzard Survival Blanket has been endorsed by the US Army Medical Center Directorate of Combat and Doctrine Development and is the only blanket used to train Army medics in the treatment of hypothermia. It is also widely used by all Emergency Services and Military in the UK.

SAF20029 - Blizzard EMS Blanket

The Blizzard EMS blanket is a high performing blanket with self-adhesive closure that re-opens for easy access to casualties.
Made from 2 layer Reflexcell™
Size (vacuum packed): 12cm x 11cm x 5 cm.
Weight: 250 grams.
Size (unpacked): Length 2.3m, width 1.96 m (fully stretched) 156.8cm (working).
Colour: Silver or Orange.

blizzard
A PERSYS COMPANY

SAF20030 - Blizzard Heat Casualty Blanket
SAF20031 - Blizzard Heat Casualty Blanket (No Heat Pads)

The highly acclaimed Blizzard Heat is widely recognised as the market leader in active heat survival blankets. Extensively used by the Emergency Services and Mountain Rescue Teams in the treatment of major trauma casualties including the RAF Sea King Helicopters.

The Blizzard Heat is an extremely high performing blanket with front and side access openings by means of hook and loop tap. It is made from Reflexcell™ and contains 4 large sets of removable oxygen activated heat pads, providing unrivalled warmth and thermal qualities.

- Size (vacuum packed):
- 30cm x 25cm x 7cm
- Weight: 1.9kg
- Size (unpacked): Length 2.45m x width 2m
- Colour: Silver, Orange or Green



Safequip Ltd's head office is based on the outskirts of Stirling looking on to the Wallace Monument and overlooked by the scenic Ochil Hills. We welcome any of our customers to come and visit where we can show you some of our renowned hospitality. You may wish to view in more depth our wide range of products that we hold within our warehouse facility or simply to call in and meet the team.

Repairs and Servicing

Safequip Ltd offer a comprehensive repairs service for surface and diving drysuits. Our team of service technicians offer a dedicated service for all Safequip and all other brands of drysuits. Whether you require a seal replacement, zip replacement or a simple puncture repair our technicians will test and inspect the drysuit and supply a quotation for approval before any work is carried out. All repairs come with a full 12 month warranty from the date of repair.

Our technicians are also qualified to carry out Life-Jacket and PFD testing.

For further information please contact repairs@safequip.co.uk

Safequip Ltd, Service Centre, Unit 1 Dukes Court, Prudhoe, Northumberland, NE42 6DA

Terms & Conditions

- Payment for all orders is due in pounds sterling with cleared funds
- No goods will be shipped until cleared funds for the full amount have been received
- Credit terms will only be considered at the discretion of Safequip Ltd and payment terms will be 30 days
- Goods will be shipped by Safequip Ltd's method and choice of carrier unless agreed prior to shipping
- Errors and shortages must be notified to Safequip Ltd within 7 days of receipt of goods
- Ownership in the contract of goods remains with Safequip Ltd, until cleared funds have been received
- Safequip Ltd reserves the right to change prices without notice
- Prices charged will be those valid at the time of shipping unless otherwise agreed
- Safequip reserve the right to change specifications published without notice
- In the event of any claim under warranty, we require that the goods are returned to Safequip Ltd for inspection. Where goods are faulty and cannot be repaired or replaced a credit note will be issued to the original value
- Safequip Ltd shall not be liable for claims in respect of any goods which have been misused or allowed to fall into a bad state of condition/repair or have not been maintained in accordance with manufacturer's instructions
- Carriage charge £7.95 + VAT. Overseas shipping: POA

FIRE WATER 999 999 RESCUE EMERGENCY

HEAD OFFICE
Unit 4 Block 3 Dumyat Business Park
Tullibody Clackmannanshire
FK10 2PB UK

Tel: +44 (0) 1259 727 835
sales@safequip.co.uk

SERVICE CENTRE
Unit 1 Dukes Court
Prudhoe Northumberland
NE42 6DA UK

Tel: +44 (0) 1661 830 232
repairs@safequip.co.uk

www.safequip.co.uk

© Safequip Ltd (2014)